



**IT- og Telestyrelsen**

Ministeriet for Videnskab  
Teknologi og Udvikling

# OIOUBL Guideline

OIOUBL OrdreResponse

UBL 2.0 OrdreResponse

G09

Version 1.1



This release is protected by Creative Commons License, Naming 2.5 

# Colophon

**Contact:**

National IT and Telecom Agency

E-mail: [oioubl@itst.dk](mailto:oioubl@itst.dk)

:

**April 2007**  
**Ministry of Science, Technology and Innovation**  
**National IT and Telecom Agency**

Data Standardization Office  
Holsteinsgade 63  
DK-2100 Copenhagen Ø  
Phone +45 3545 0000  
Fax +45 3545 0010  
<http://www.itst.dk>  
[itst@itst.dk](mailto:itst@itst.dk)

Copyrights for this release in accordance with Creative Common, Naming 2.5:

**Permission is granted to:**

- *produce processed works based on this document*
- *reproduce and make the document available to the public*
- *use the document for commercial purposes*  
*provided that the Danish National IT & Telecom Agency be clearly referenced as the source of this release.*

Further information about these rights is available at <http://creativecommons.org/licenses/by/2.5/deed.da>.

## Contents

<b>1. How to read this document.....</b>	<b>4</b>
1.1 Structure of this document.....	4
1.2 Figure definitions .....	4
1.3 Term definitions .....	5
1.4 References.....	6
<b>2. How to fill in OIOUBL document instances.....</b>	<b>7</b>
2.1 Namespace.....	7
2.2 Comments.....	7
2.3 Process instructions.....	8
2.4 Relations to instances of other customizations.....	8
2.5 Code example.....	8
<b>3. OrderResponse.....</b>	<b>9</b>
3.1. OrderResponse.....	10
3.2. OrderResponse.ValidityPeriod.....	19
3.3. OrderResponse.OrderReference.....	21
3.3.1. OrderResponse.OrderReference.DocumentReference.....	24
3.3.1.1. OrderResponse.OrderReference.DocumentReference.Attachment.....	26
3.4. OrderResponse.Contract.....	28
3.5. OrderResponse.SellerSupplierParty.....	30
3.5.1. OrderResponse.SellerSupplierParty.Party.....	32
3.6. OrderResponse.BuyerCustomerParty.....	36
3.6.1. OrderResponse.BuyerCustomerParty.Party.....	38
3.6.1.1. OrderResponse.BuyerCustomerParty.Party.Contact.....	42
3.7. OrderResponse.Delivery.....	44
3.8. OrderResponse.OrderLine.....	47
3.8.1. OrderResponse.OrderLine.LineItem.....	49
3.8.1.1. OrderResponse.OrderLine.LineItem.Delivery.....	55
3.8.1.2. OrderResponse.OrderLine.LineItem.Price.....	58
3.8.1.3. OrderResponse.OrderLine.LineItem.Item.....	61
3.8.1.3.1. OrderResponse.OrderLine.LineItem.Item.BuyersItemIdentification.....	68
3.8.1.3.2. OrderResponse.OrderLine.LineItem.Item.SellersItemIdentification.....	70
3.8.1.3.3. OrderResponse.OrderLine.LineItem.Item.ManufacturersItemIdentification.....	72
3.8.1.3.4. OrderResponse.OrderLine.LineItem.Item.StandardItemIdentification.....	74
3.8.1.3.5. OrderResponse.OrderLine.LineItem.Item.CatalogueItemIdentification.....	76
3.8.1.3.6. OrderResponse.OrderLine.LineItem.Item.AdditionalItemIdentification.....	78
3.8.1.3.7. OrderResponse.OrderLine.LineItem.Item.CatalogueDocumentReference.....	80
3.8.1.3.7.1. OrderResponse.OrderLine.LineItem.Item.CatalogueDocumentReference.Attachment.....	82

## 1. How to read this document

This guideline covers the use of an invoice in OIOUBL. The guideline must be read in correlation with the remaining documents included in the OIOUBL package.

### 1.1 Structure of this document


This document should be seen as the normative description of an invoice. In case of any conflict, the most specific description will always apply. For example, the description on the lines of a specific element takes precedence of the description at document level. Hence, the descriptions at document level are default values for the lines. The examples in this document and related common guidelines should be seen as descriptive. The guideline text takes precedence of the figures.

The document includes a reading instruction, a description of how to fill in document instances, as well as the actual class specification. The actual specification is composed of:

- A figure showing the class elements that are included in OIOUBL.
- A text specification of the class.
- A list of the UBL elements that from a business perspective make no sense in the specific context.
- A list of the fields that are included in the class.
- A list of the sub-classes that are included in the class.
- A table of key data such as definitions, names, references, and business rules for each of the class fields.
- A table of key data such as definitions, names, references, and business rules for the sub-classes of the class.
- For each of the sub-classes that is used differently that described in the class library, OIOUBL\_GUIDE\_LIBRARY (ref 30), a subsection contains a corresponding specification. Hence, the sub-classes that have been included in the specification are not selected based on relevance, but solely based on whether they deviate from the general definition of the library.

### 1.2 Figure definitions

In the class specifications, the class is shown as schema documentation.



### 1.3 Term definitions

In this specification, the following terms will be used in the tables:

	<b>Term</b>	<b>Explanation</b>
UBL name		The name that is found in the UBL 2.0 schemas
DK-name		The name in Danish
Use		Describes the cardinality, i.e. the rule describing how many instances of the business information entity are allowed: [1] specifies that one and only one instance is allowed. [0..1] means that the business information entity is optional. [0..n] means that null to infinity instances may occur. [1..n] means that no less than one instance to an infinite number of instances may occur.
Alternative term		Specifies a term which is also used to describe the business information entity.
Used		Determines whether the receiver should be expected to be able to decode the described business information, if it is attached. Information that is not used may still, however, be used upon bilateral agreement.
Business rule		Describes the rules that are attached to the business information entity. Business rules are normative, and will be part of the validation of the document in question.
Recommended		Specifies that common practice requires the described business information entity to be attached. This is a

non-normative guide to the use of the business information entity.

Allowed values:

Describes the value set that the business information entity should conform with.

Codelist

Refers to the codelist that the value set should be found in.

Class

A structure of coherent business information.

## 1.4 References

In this document reference is made to other documents within the OIOUBL package.

Filnavn	Titel	Ref
OIOUBL_GUIDE_INTRO	Introduktion til OIOUBL Guidelines	G01
<b>Documentguidelines</b>		
OIOUBL_GUIDE_APPRESPONSE	UBL 2.0 ApplicationResponse	G02
OIOUBL_GUIDE_CATALOGUE	UBL 2.0 Catalogue	G03
OIOUBL_GUIDE_CATALOGUEREQUEST	UBL 2.0 CatalogueRequest	G04
OIOUBL_GUIDE_CATALOGUEDELETION	UBL 2.0 CatalogueDeletion	G05
OIOUBL_GUIDE_CATALOGUEITEMSPECIFICATIONUPDATE	UBL 2.0 CatalogueItemSpecificationUpdate	G06
OIOUBL_GUIDE_CATALOGUEPRICINGUPDATE	UBL 2.0 CataloguePricingUpdate	G07
OIOUBL_GUIDE_ORDER	UBL 2.0 Order	G08
OIOUBL_GUIDE_ORDERRESPONSE	UBL 2.0 OrderResponse	G09
OIOUBL_GUIDE_ORDRERESPONSESIMPLE	UBL 2.0 OrdreResponseSimple	G10
OIOUBL_GUIDE_ORDERCHANGE	UBL 2.0 OrderChange	G11
OIOUBL_GUIDE_ORDERCANCELLATION	UBL 2.0 Ordercancellation	G12
OIOUBL_GUIDE_CREDITNOTE	UBL 2.0 CreditNote	G13
OIOUBL_GUIDE_REMINDER	UBL 2.0 Reminder	G14
OIOUBL_GUIDE_STATEMENT	UBL 2.0 Statement	G15
OIOUBL_GUIDE_INVOICE	UBL 2.0 Invoice	G16
<b>Common guidelines</b>		
OIOUBL_GUIDE_ALLOWANCECHARGE	UBL 2.0 AllowanceCharge	G17
OIOUBL_GUIDE_CURRENCYEXCHANGERATES	UBL 2.0 CurrencyExchangeRates	G18
OIOUBL_GUIDE_DELIVERY	UBL 2.0 Delivery and Delivery Party	G19
OIOUBL_GUIDE_DELIVERYTERMS	OIOUBL Leveringsbetingelser - UBL 2.0 Delivery Terms	G20
OIOUBL_GUIDE_DOCUMENTREF	OIOUBL Dokumentreference - UBL 2.0 Document Reference	G21
OIOUBL_GUIDE_ENDPOINTS	OIOUBL EndepunktID - UBL 2.0 Endpoints	G22
OIOUBL_GUIDE_PARTY	OIOUBL Part - UBL 2.0 Party	G23
OIOUBL_GUIDE_BETALING	OIOUBL Betalingsmåder og betingelser - UBL 2.0 Payment means og payment terms	G24
OIOUBL_GUIDE_PRISER	OIOUBL Priser - UBL 2.0 Prices	G25
OIOUBL_GUIDE_PROFILER	OIOUBL Profiler - UBL 2.0 Profiles	G26
OIOUBL_GUIDE_SKAT	OIOUBL Skat - UBL 2.0 Tax	G27
OIOUBL_GUIDE_TOTALER	OIOUBL Totaler - UBL 2.0 Totals	G28
OIOUBL_GUIDE_DATATYPER	OIOUBL Datatyper - UBL 2.0 Datatypes	G29
OIOUBL_GUIDE_BIBLIOTEK	OIOUBL Fælles klassebibliotek - UBL 2.0 CommonLibrary	G30
OIOUBL_GUIDE_SIGNATUR	OIOUBL Signatur - UBL 2.0 Signature	G31
OIOUBL_GUIDE_UUID	OIOUBL UUID - UBL 2.0 UUID	G32
OIOUBL_GUIDE_UDVIDELSER	OIOUBL Udvidelse - UBL 2.0 Extension	G33

OIOUBL_GUIDE_KONTAKT	OIOUBL Kontakt - UBL 2.0 Contact	G34
OIOUBL_GUIDE_RESPONS	OIOUBL Bekræftelse - UBL 2.0 Respons	G35
OIOUBL_GUIDE_ADRESSER	OIOUBL Adresser - UBL 2.0 Adress	G36
Katalogspecifikke tværgående guidelines		
OIOUBL_GUIDE_KATALOG_ID	OIOUBL Identifikation, versionering og gyldighedsperioder i kataloger	G37
OIOUBL_GUIDE_KATALOG_VAREBESKRIV	OIOUBL Varebeskrivelser og kategorisering i kataloger	G38
OIOUBL_GUIDE_KATALOG_PARTER	OIOUBL Parter i kataloger	G39
OIOUBL_GUIDE_KATALOG_PRISER	OIOUBL Pris og mængde i kataloger	G40
Scenarie pakker		
OIOUBL_SCENARIE_INTRO	Introduction to OIOUBL Procurement Scenarios	S01
OIOUBL_SCENARIE_ADVORD	OIOUBL ADVORD - Advanced Ordering Procurement Cycle	S02
OIOUBL_SCENARIE_BASPRO	OIOUBL BASPRO - Basic procurement Cycle	S03
OIOUBL_SCENARIE_CATEXE	OIOUBL CATEXE - Catalogue Exchange	S04
OIOUBL_SCENARIE_COMDEL	OIOUBL COMDEL - Complex Delivery Procurement Cycle	S05
OIOUBL_SCENARIE_COMORG	OIOUBL COMORG - Complex Organisations Procurement Cycle	S06
OIOUBL_SCENARIE_COMPAY	OIOUBL COMPAY - Complex Payment Cycle	S07

## 2. How to fill in OIOUBL document instances

An Invoice must follow the related UBL schema, and conform to the rules of this guideline. The instances follow the W3C XML specifications, which means that, unless otherwise stated, the normal XML rules apply. It is therefore recommended that an xml encoder is used for reading the documents.

### 2.1 Namespace

A Namespace is a semantic space in which names are unique and attached to a specific interpretation.

Namespaces often occur as libraries, and may be referenced via an alias-variable. The expression:

```
<... xmlns:cac="urn:oasis:names:specification:ubl:schema:xsd:CommonAggregateComponents-2" ...>
```

means that elements with the prefix “cac” (alias variable) belongs to the “...

CommonAggregateComponents-2” namespace. The namespace that is referenced by the actual document is indicated by “xmlns =...”, i.e. without an alias variable. It is recommended to use the alias variables that are specified in UBL, but this is not a requirement. For an OIOUBL document instance to be validated the following namespaces must be specified:

Alias variable	Namespace
	urn:oasis:names:specification:ubl:schema:xsd:Invoice-2
cac	urn:oasis:names:specification:ubl:schema:xsd:CommonAggregateComponents-2
ccts	urn:oasis:names:specification:ubl:schema:xsd:CoreComponentParameters-2
cbc	urn:oasis:names:specification:ubl:schema:xsd:CommonBasicComponents-2
sdt	urn:oasis:names:specification:ubl:schema:xsd:SpecializedDatatypes-2
udt	urn:un:unece:uncefact:data:specification:UnqualifiedDataTypesSchemaModule:2
ext	urn:oasis:names:specification:ubl:schema:xsd:CommonExtensionComponents-2
xsi	http://www.w3.org/2001/XMLSchema-instance

### 2.2 Comments

Comments may be used in document instances to facilitate any manual processing of the document. This is particularly relevant during the introduction phase of new systems that use OIOUBL. For those who wish to formalize these comments, we recommend the Dublin-Core metadata definitions, see ”

<http://dublincore.org/documents/dcmi-terms/>". The following terms are used in the examples of the scenario descriptions [S01-S07] :

DC-Term	Description	Example
Title	Describes the title of the document instance	BASPRO_01_01_00_Invoice_v2p0.xml
Replaces	Reference to the preceding instance	BASPRO_01_01_00_Invoice_v0p1.xml
Publisher	Describes who is responsible for the document instance.	"IT og Telestyrelsen"
Creator	Describes the person or the system that created the instance.	"OIOERP v 1.0.2 release 34"
Created	Date (and possibly time) of the creation of the document.	2006-09-08
Modified	Date (and possibly time) when the document was last modified.	2006-09-08
Issued	Date (and possibly time) when it was issued.	2006-09-08
ConformsTo	Description of the context that it belongs to.	OIOUBL_ScenarioPackage_BASPRO
Description	General description	"This document is produced as part of the OIOUBL Basic procurement scenario package"
Rights	Any copyrights that apply to the instance.	"It can be used following the Common Creative License"


Only use meta data that you consider applicable, and only enter valid data. From the above list we particularly recommend using the "Creator" term, as this may ease the troubleshooting at the receiver's system. Comments should be specified within the root element of the document.


## 2.3 Process instructions

Process instructions are instructions that are not covered by the OIOUBL standard, but which may be used for controlling other logics. For example, when specifying that an instance is used for test purposes. A process instruction is specified by "                                  

### 3. OrderResponse

### 3.1. OrderResponse





### OrderResponse specification

Name	OrderResponse	Alternative term
Definition	<p>OIOUBL Invoice is a document for the exchange of advanced electronic order responses. The advanced order response is used in a coherent order-to-invoice flow where an order or an order change is partially confirmed, a delivery of substitution items is recommended or other changes in relation to the original order. The advanced order response is send from SellerSupplierParty to BuyerCustomerParty. The advanced order response is structured to fulfill the formal requirements for a valid order response for use in Denmark including taxnumber, specifications etc. EndPointID is used to identify the "electronic mailbox" where the electronic document is to be delivered and also provides the basis for routing the message. EndPointID must be registered in the mandatory address register for routing of electronic messages. The Order Response is part of an advanced flow allowing the exchange of order changes, order deletions or order responses. It can also be used as the first electronic document in an order flow where the order is submitted orally, for example.</p>	

### Example

```

<OrderResponse >
  <cbc:UBLVersionID>2.0</cbc:UBLVersionID>
  <cbc:CustomizationID>OIOUBL-2.01</cbc:CustomizationID>
  <cbc:ProfileID schemeAgencyID="320" schemeID="urn:oioubl:id:profileid-1.1">Procurement-OrdSel-
  BilSim-1.0</cbc:ProfileID>
  <cbc:ID>65830</cbc:ID>
  <cbc:CopyIndicator>>false</cbc:CopyIndicator>
  <cbc:UUID>9756b4ac-8815-1029-857a-e388fe63f399</cbc:UUID>
  <cbc:IssueDate>2006-04-01</cbc:IssueDate>
  <cbc:DocumentCurrencyCode>DKK</cbc:DocumentCurrencyCode>
  + <cac:OrderReference />
  + <cac:SellerSupplierParty />
  + <cac:BuyerCustomerParty />
  + <cac:DeliveryTerms />
  + <cac:PaymentMeans />
  + <cac:AllowanceCharge />

```

```

+ <cac:TaxTotal />
+ <cac:LegalMonetaryTotal />
+ <cac:OrderLine />
+ <cac:OrderLine />
</OrderResponse>

```

## Fields

UBL-Name	Name	Datatype	Usage	Cardinality
UBLVersionID	UBLVersionID	Identifier	Yes	1
CustomizationID	CustomizationID	Identifier	Yes	1
ProfileID	ProfileID	Identifier	Yes	1
ID	ID	Identifier	Yes	1
SalesOrderID	SalesOrderID	Identifier	Bilateral	0..1
CopyIndicator	CopyIndicator	Indicator	Yes	0..1
UUID	UUID	Identifier	Yes	0..1
IssueDate	IssueDate	Date	Yes	1
IssueTime	IssueTime	Time	Bilateral	0..1
Note	Note	Text	Yes	0..n
DocumentCurrencyCode	DocumentCurrencyCode	Code	Yes	0..1
PricingCurrencyCode	PricingCurrencyCode	Code	Yes	0..1
TaxCurrencyCode	TaxCurrencyCode	Code	Yes	0..1
TotalPackagesQuantity	TotalPackagesQuantity	Quantity	Yes	0..1
GrossWeightMeasure	GrossWeightMeasure	Measure	Bilateral	0..1
NetWeightMeasure	NetWeightMeasure	Measure	Bilateral	0..1
GrossVolumeMeasure	GrossVolumeMeasure	Measure	Bilateral	0..1
NetVolumeMeasure	NetVolumeMeasure	Measure	Bilateral	0..1
CustomerReference	CustomerReference	Text	Bilateral	0..1
AccountingCostCode	AccountingCostCode	Code	Bilateral	0..1
AccountingCost	AccountingCost	Text	Yes	0..1

## Subclasses in class OrderResponse

UBL-Name	Name	Usage	Cardinality	Reference
UBLExtensions	UBLExtensions	Bilateral	0..1	G22
ValidityPeriod	ValidityPeriod	Yes	0..1	3.2
OrderReference	OrderReference	Yes	0..1	3.3
AdditionalDocumentReference	AdditionalDocumentReference	Yes	0..n	G30 3.36
Contract	Contract	Yes	0..1	3.4
Signature	Signature	Yes	0..1	G30 3.96
SellerSupplierParty	SellerSupplierParty	Yes	1	3.5
BuyerCustomerParty	BuyerCustomerParty	Yes	1	3.6
OriginatorCustomerParty	OriginatorCustomerParty	Yes	0..1	G30 3.27
FreightForwarderParty	FreightForwarderParty	Bilateral	0..1	G30 3.70
AccountingSupplierParty	AccountingSupplierParty	Yes	0..1	G30 3.100
AccountingCustomerParty	AccountingCustomerParty	Yes	0..1	G30 3.27
Delivery	Delivery	Yes	0..1	3.7
DeliveryTerms	DeliveryTerms	Yes	0..1	G30 3.30
PaymentMeans	PaymentMeans	Yes	0..1	G30 3.76
AllowanceCharge	AllowanceCharge	Yes	0..1	G30 3.4
TransactionConditions	TransactionConditions	Yes	0..1	G30 3.107
DestinationCountry	DestinationCountry	Yes	0..1	G30 3.24
TaxTotal	TaxTotal	Yes	0..1	G30 3.104
LegalMonetaryTotal	LegalMonetaryTotal	Yes	0..1	G30 3.64
OrderLine	OrderLine	Yes	1..n	3.8

## Field specifications

**UBLVersionID**

<b>Fieldname</b>	UBLVersionID	<b>Alternative term</b>	
<b>Cardinality</b>	1	<b>Usage</b>	Yes
<b>Datatype</b>	Identifier		
<b>Definition</b>	The version of the UBL schema being used.		
<b>Legal values</b>	2.0		
<b>Example</b>	2.0		

**CustomizationID**

<b>Fieldname</b>	CustomizationID	<b>Alternative term</b>	
<b>Cardinality</b>	1	<b>Usage</b>	Yes
<b>Datatype</b>	Identifier		
<b>Definition</b>	Identifies a user-defined customization of UBL for a specific use.		
<b>Legal values</b>	OIOUBL-2.01		
<b>Example</b>	OIOUBL-2.0		

**ProfileID**

<b>Fieldname</b>	ProfileID	<b>Alternative term</b>	OIOUBL_GUIDE_PROFILES
<b>Cardinality</b>	1	<b>Usage</b>	Yes
<b>Datatype</b>	Identifier		
<b>Definition</b>	The identifier for a user defined profile of the subset of UBL being used.		
<b>Id list</b>	urn:oiubl:id:profileid-1.1		
<b>See also</b>	OIOUBL_GUIDE_PROFILES ( OIO )		
<b>Example</b>	Procurement-OrdAdv-BilSim-1.0		

**ID**

<b>Fieldname</b>	ID	<b>Alternative term</b>	
<b>Cardinality</b>	1	<b>Usage</b>	Yes
<b>Datatype</b>	Identifier		
<b>Definition</b>	An identifier for the Order Response assigned by the Seller.		
<b>Businessrules</b>	Most significant information must be the rightmost part		
<b>Recommendation</b>	Maximum 35 characters is recommended		
<b>Example</b>	354718		

**SalesOrderID**

<b>Fieldname</b>	SalesOrderID	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Identifier		
<b>Definition</b>	An identifier for the Order issued by the Seller.		
<b>Businessrules</b>	Most significant information must be the rightmost part		
<b>Recommendation</b>	Maximum 35 characters is recommended		

**CopyIndicator**

<b>Fieldname</b>	CopyIndicator	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Indicator		
<b>Definition</b>	Indicates whether the Order Response is a copy (true) or not (false).		
<b>Businessrules</b>	Default value is "false" indicating that the document is original		
<b>Example</b>	false		

**UUID**

<b>Fieldname</b>	UUID	<b>Alternative term</b>	OIOUBL_GUIDE_UUID
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Identifier		
<b>Definition</b>	A computer-generated universally unique identifier (UUID) for the Order Response instance.		
<b>Businessrules</b>	Document instance ID generated by the source Business System. New value for copy. When converting to other formats the value should be transferred unaltered		
<b>See also</b>	OIOUBL_GUIDE_UUID ( G32 )		
<b>Example</b>	4e39f644-8819-1029-857a-e388fe63f399		

**IssueDate**

<b>Fieldname</b>	IssueDate	<b>Alternative term</b>	
<b>Cardinality</b>	1	<b>Usage</b>	Yes
<b>Datatype</b>	Date		
<b>Definition</b>	The date assigned by the Seller on which the Order was responded to.		
<b>Example</b>	2006-08-13		

**IssueTime**

<b>Fieldname</b>	IssueTime	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Time		
<b>Definition</b>	The time assigned by the Seller on which the Order was responded to.		
<b>Example</b>	12:35:00		

**Note**

<b>Fieldname</b>	Note	<b>Alternative term</b>	
<b>Cardinality</b>	0..n	<b>Usage</b>	Yes
<b>Datatype</b>	Text		
<b>Definition</b>	Free-form text applying to the Order Response. This element may contain notes or any other similar information that is not contained explicitly in another structure.		
<b>Businessrules</b>	Only one language allowed		
<b>Example</b>	Tak for ordren		

**DocumentCurrencyCode**

<b>Fieldname</b>	DocumentCurrencyCode	<b>Alternative term</b>	OIOUBL_GUIDE_CURRENC Y
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Code		
<b>Definition</b>	The default currency for the Order Response.		
<b>Businessrules</b>	If specified this value applies to the rest of the document ie linetotals and legaltotals		
<b>Recommendation</b>	Best practise to use it.		
<b>Codelist</b>	urn:un:unece:uncefact:codelist:specification:54217:2001		
<b>See also</b>	OIOUBL_GUIDE_CURRENCY ( OIO )		
<b>Example</b>	DKK		

**PricingCurrencyCode**

<b>Fieldname</b>	PricingCurrencyCode	<b>Alternative term</b>	OIOUBL_GUIDE_CURRENC Y
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Code		
<b>Definition</b>	The currency that is used for all prices in the Order Response.		
<b>Businessrules</b>	If specified this value applies to the rest of the document for all prices		
<b>Codelist</b>	urn:un:unece:uncefact:codelist:specification:54217:2001		
<b>See also</b>	OIOUBL_GUIDE_CURRENCY ( OIO )		
<b>Example</b>	DKK		

**TaxCurrencyCode**

<b>Fieldname</b>	TaxCurrencyCode	<b>Alternative term</b>	OIOUBL_GUIDE_CURRENC Y
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Code		
<b>Definition</b>	The currency that is used for all tax amounts in the Order Response.		
<b>Codelist</b>	urn:un:unece:uncefact:codelist:specification:54217:2002		
<b>Legal values</b>	Domestic currency valid for taxpurpose		
<b>See also</b>	OIOUBL_GUIDE_CURRENCY ( OIO )		
<b>Example</b>	DKK		

**TotalPackagesQuantity**

<b>Fieldname</b>	TotalPackagesQuantity	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Quantity		
<b>Definition</b>	The total number of packages contained in the Order Response.		
<b>Example</b>	3		

**GrossWeightMeasure**

<b>Fieldname</b>	GrossWeightMeasure	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Measure		
<b>Definition</b>	The total gross weight for the Order Response (goods + packaging + transport equipment).		

**NetWeightMeasure**

<b>Fieldname</b>	NetWeightMeasure	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Measure		
<b>Definition</b>	The total net weight for the Order Response (goods + packaging).		

**GrossVolumeMeasure**

<b>Fieldname</b>	GrossVolumeMeasure	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Measure		
<b>Definition</b>	The total volume of the goods in the Order Response including packaging.		

**NetVolumeMeasure**

<b>Fieldname</b>	NetVolumeMeasure	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Measure		
<b>Definition</b>	The total volume of the goods in the Order Response excluding packaging.		

**CustomerReference**

<b>Fieldname</b>	CustomerReference	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Text		
<b>Definition</b>	A supplementary reference assigned by the Buyer, e.g. the CRI in a purchasing card transaction.		

**AccountingCostCode**

<b>Fieldname</b>	AccountingCostCode	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Code		
<b>Definition</b>	An accounting cost code applied to the order as a whole if the order is bilaterally agreed.		
<b>Businessrules</b>	Bilaterally agreed		
<b>Dependency</b>	../AccountingCost		
<b>Example</b>	5050		

**AccountingCost**

<b>Fieldname</b>	AccountingCost	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Text		
<b>Definition</b>	An accounting cost code applied to the order as a whole, expressed as text.		
<b>Businessrules</b>	Only use if Code not applied		
<b>Dependency</b>	../AccountingCostCode		

**Class Specification****ValidityPeriod**

## 3.1. OrderResponse

<b>Classname</b>	ValidityPeriod	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Period		
<b>Definition</b>	The period for which the Order Response is valid.		
<b>Businessrules</b>	The Period where the OrderResponse is valid		
<b>See section</b>	3.2		

**OrderReference**

<b>Classname</b>	OrderReference	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	OrderReference		
<b>Definition</b>	An association to the responded Order.		
<b>Businessrules</b>	Mandatory for the profiles Procurement-OrdAdv-BilSim-1.0, Procurement-OrdAdvR-BilSim-1.0, Procurement-OrdAdv-BilSimR-1.0 and Procurement-OrdAdvR-BilSimR-1.0		
<b>Dependency</b>	../ProfileID		
<b>See section</b>	3.3		

**AdditionalDocumentReference**

<b>Classname</b>	AdditionalDocumentReference	<b>Alternative term</b>	OIOUBL_GUIDE_DOCUMENTREF
<b>Cardinality</b>	0..n	<b>Usage</b>	Yes
<b>Datatype</b>	DocumentReference		
<b>Definition</b>	An association to other documents.		
<b>See section</b>	G30 3.36		
<b>See also</b>	OIOUBL_GUIDE_DOCUMENTREF ( OIO )		

**Contract**

<b>Classname</b>	Contract	<b>Alternative term</b>	OIOUBL_GUIDE_DOCUMENTREF
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Contract		
<b>Definition</b>	An association to a framework agreement or contract.		
<b>See section</b>	3.4		
<b>See also</b>	OIOUBL_GUIDE_DOCUMENTREF ( OIO )		

**Signature**

<b>Classname</b>	Signature	<b>Alternative term</b>	OIOUBL_GUIDE_SIGNATURE
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Signature		
<b>Definition</b>	Associates the Order Response with zero or more signatures.		
<b>See section</b>	G30 3.96		
<b>See also</b>	OIOUBL_GUIDE_SIGNATURE ( OIO )		

**SellerSupplierParty**

<b>Classname</b>	SellerSupplierParty	<b>Alternative term</b>	
<b>Cardinality</b>	1	<b>Usage</b>	Yes
<b>Datatype</b>	SupplierParty		
<b>Definition</b>	An association to the Seller.		
<b>See section</b>	3.5		

**BuyerCustomerParty**

<b>Classname</b>	BuyerCustomerParty	<b>Alternative term</b>	
<b>Cardinality</b>	1	<b>Usage</b>	Yes
<b>Datatype</b>	CustomerParty		
<b>Definition</b>	An association to the Buyer.		
<b>See section</b>	3.6		

**OriginatorCustomerParty**

<b>Classname</b>	OriginatorCustomerParty	<b>Alternative term</b>	OIOUBL_GUIDE_PARTIES
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	CustomerParty		
<b>Definition</b>	An association to the Originator.		
<b>See section</b>	G30 3.27		
<b>See also</b>	OIOUBL_GUIDE_PARTIES ( OIO )		

**FreightForwarderParty**

<b>Classname</b>	FreightForwarderParty	<b>Alternative term</b>	OIOUBL_GUIDE_PARTIES
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Party		
<b>Definition</b>	An association to a Freight Forwarder or Carrier.		
<b>See section</b>	G30 3.70		
<b>See also</b>	OIOUBL_GUIDE_PARTIES ( OIO )		

**AccountingSupplierParty**

<b>Classname</b>	AccountingSupplierParty	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	SupplierParty		
<b>Definition</b>	An association to the Accounting Supplier Party. The party from who the receiver can expect to receive the invoice if not the seller party.		
<b>See section</b>	G30 3.100		

**AccountingCustomerParty**

<b>Classname</b>	AccountingCustomerParty	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	CustomerParty		
<b>Definition</b>	An association to the Accounting Customer Party. The party that Invoice is expected to be sent to if not the buyer party. This is either copied from the order or bilateral agreed.		
<b>See section</b>	G30 3.27		

**Delivery**

<b>Classname</b>	Delivery	<b>Alternative term</b>	OIOUBL_GUIDE_DELIVERY
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Delivery		
<b>Definition</b>	An association to Delivery.		
<b>See section</b>	3.7		
<b>See also</b>	OIOUBL_GUIDE_DELIVERY ( OIO )		

**DeliveryTerms**

<b>Classname</b>	DeliveryTerms	<b>Alternative term</b>	OIOUBL_GUIDE_DELIVERY TERM
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	DeliveryTerms		
<b>Definition</b>	An association to Delivery Terms.		
<b>See section</b>	G30 3.30		
<b>See also</b>	OIOUBL_GUIDE_DELIVERYTERM ( OIO )		

**PaymentMeans**

<b>Classname</b>	PaymentMeans	<b>Alternative term</b>	OIOUBL_GUIDE_PAYMENT
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	PaymentMeans		
<b>Definition</b>	An association to Payment Means.		
<b>See section</b>	G30 3.76		
<b>See also</b>	OIOUBL_GUIDE_PAYMENT ( OIO )		

**AllowanceCharge**

## 3.1. OrderResponse

<b>Classname</b>	AllowanceCharge	<b>Alternative term</b>	OIOUBL_GUIDE_ALLOWANCE
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	AllowanceCharge		
<b>Definition</b>	An association to Allowances and Charges that apply to the Order Response as a whole.		
<b>See section</b>	G30 3.4		
<b>See also</b>	OIOUBL_GUIDE_ALLOWANCE ( OIO )		

**TransactionConditions**

<b>Classname</b>	TransactionConditions	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	TransactionConditions		
<b>Definition</b>	An association with any sales or purchasing conditions applying to the whole order.		
<b>See section</b>	G30 3.107		

**DestinationCountry**

<b>Classname</b>	DestinationCountry	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Country		
<b>Definition</b>	Associates the order response with the country to which it is destined, for Customs purposes.		
<b>See section</b>	G30 3.24		

**TaxTotal**

<b>Classname</b>	TaxTotal	<b>Alternative term</b>	OIOUBL_GUIDE_TAX
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	TaxTotal		
<b>Definition</b>	An association to the total tax amount of the Order (as calculated by the Seller).		
<b>See section</b>	G30 3.104		
<b>See also</b>	OIOUBL_GUIDE_TAX ( OIO )		

**LegalMonetaryTotal**

<b>Classname</b>	LegalMonetaryTotal	<b>Alternative term</b>	OIOUBL_GUIDE_TOTALS
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	MonetaryTotal		
<b>Definition</b>	An association to the total amounts for the Order net of allowances and taxes (as projected by the Seller).		
<b>See section</b>	G30 3.64		
<b>See also</b>	OIOUBL_GUIDE_TOTALS ( OIO )		


**OrderLine**

<b>Classname</b>	OrderLine	<b>Alternative term</b>	
<b>Cardinality</b>	1..n	<b>Usage</b>	Yes
<b>Datatype</b>	OrderLine		
<b>Definition</b>	An association to one or more Order Lines.		
<b>See section</b>	3.8		

**Excluded classes and fields in OrderResponse**

Name	Name	Type
NetNetWeightMeasure	NetNetWeightMeasure	Field
LineCountNumeric	LineCountNumeric	Field
OrderDocumentReference	OrderDocumentReference	Class
OriginatorDocumentReference	OriginatorDocumentReference	Class

### 3.2. OrderResponse.ValidityPeriod



#### ValidityPeriod (OrderResponse.ValidityPeriod) specification

<b>Name</b>	OrderResponse.ValidityPeriod	<b>Alternative term</b>	
<b>Definition</b>	Information about a time period		

#### Fields

UBL-Name	Name	Datatype	Usage	Cardinality
StartDate	StartDate	Date	Yes	0..1
StartTime	StartTime	Time	Bilateral	0..1
EndDate	EndDate	Date	Yes	0..1
EndTime	EndTime	Time	Bilateral	0..1
Description	Description	Text	Yes	0..n

#### Subclasses in class ValidityPeriod (OrderResponse.ValidityPeriod)

None

**Field specifications****StartDate**

<b>Fieldname</b>	StartDate	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Date		
<b>Definition</b>	The period's start date		

**StartTime**

<b>Fieldname</b>	StartTime	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Time		
<b>Definition</b>	The period's starting time		

**EndDate**

<b>Fieldname</b>	EndDate	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Date		
<b>Definition</b>	The period's end date		

**EndTime**

<b>Fieldname</b>	EndTime	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Time		
<b>Definition</b>	The period's end time		


**Description**

<b>Fieldname</b>	Description	<b>Alternative term</b>	
<b>Cardinality</b>	0..n	<b>Usage</b>	Yes
<b>Datatype</b>	Text		
<b>Definition</b>	A description of the Period		

**Excluded classes and fields in ValidityPeriod (OrderResponse.ValidityPeriod)**

<b>Name</b>	<b>Name</b>	<b>Type</b>
DurationMeasure	DurationMeasure	Field
DescriptionCode	DescriptionCode	Field

### 3.3. OrderResponse.OrderReference



#### OrderReference (OrderResponse.OrderReference) specification

<b>Name</b>	OrderResponse.OrderReference	<b>Alternative term</b>	
<b>Definition</b>	Information about an Order Reference		

#### Example

```

<cac:OrderReference>
  <cbc:ID>5002701</cbc:ID>
  <cbc:SalesOrderID>YTETXP</cbc:SalesOrderID>
  <cbc:UUID>9756b468-8815-1029-857a-e388fe63f399</cbc:UUID>
  <cbc:IssueDate>2005-11-01</cbc:IssueDate>
</cac:OrderReference>
  
```

#### Fields

UBL-Name	Name	Datatype	Usage	Cardinality
ID	ID	Identifier	Yes	1
SalesOrderID	SalesOrderID	Identifier	Bilateral	0..1
CopyIndicator	CopyIndicator	Indicator	Bilateral	0..1
UUID	UUID	Identifier	Yes	0..1
IssueDate	IssueDate	Date	Yes	0..1
IssueTime	IssueTime	Time	Bilateral	0..1
CustomerReference	CustomerReference	Text	Bilateral	0..1

#### Subclasses in class OrderReference (OrderResponse.OrderReference)

UBL-Name	Name	Usage	Cardinality	Reference
DocumentReference	DocumentReference	Yes	0..1	3.3.1

**Field specifications****ID**

<b>Fieldname</b>	ID	<b>Alternative term</b>	
<b>Cardinality</b>	1	<b>Usage</b>	Yes
<b>Datatype</b>	Identifier		
<b>Definition</b>	The identifier for the referenced Order assigned by the Buyer		

**SalesOrderID**

<b>Fieldname</b>	SalesOrderID	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Identifier		
<b>Definition</b>	The identifier for the referenced Order assigned by the Seller		

**CopyIndicator**

<b>Fieldname</b>	CopyIndicator	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Indicator		
<b>Definition</b>	Indicates whether the referenced Order is a copy (true) or the original (false)		

**UUID**

<b>Fieldname</b>	UUID	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Identifier		
<b>Definition</b>	A computer-generated universally unique identifier (UUID) for the referenced Order instance		

**IssueDate**

<b>Fieldname</b>	IssueDate	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Date		
<b>Definition</b>	The date on which the referenced Order was issued		

**IssueTime**

<b>Fieldname</b>	IssueTime	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Time		
<b>Definition</b>	The time on which the referenced Order was issued		

**CustomerReference**


<b>Fieldname</b>	CustomerReference	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Text		
<b>Definition</b>	A supplementary reference for the referenced Order		

**Class Specification****DocumentReference**


<b>Classname</b>	DocumentReference	<b>Alternative term</b>	OIOUBL_GUIDE_DOCUMENTREF
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	DocumentReference		
<b>Definition</b>	An association to Document Reference		
<b>See section</b>	3.3.1		
<b>See also</b>	OIOUBL_GUIDE_DOCUMENTREF ( OIO )		

**Excluded classes and fields in OrderReference (OrderResponse.OrderReference)**

None



### 3.3.1. OrderResponse.OrderReference.DocumentReference



#### DocumentReference (OrderResponse.OrderReference.DocumentReference) specification

<b>Name</b>	OrderResponse.OrderReference.DocumentReference	<b>Alternative term</b>	OIOUBL_GUIDE_DOCUMENTREF
<b>Definition</b>	Information about a Document referred to in another Document		
<b>See also</b>	OIOUBL_GUIDE_DOCUMENTREF ( OIO )		

#### Fields

UBL-Name	Name	Datatype	Usage	Cardinality
ID	ID	Identifier	Yes	1
CopyIndicator	CopyIndicator	Indicator	Bilateral	0..1
UUID	UUID	Identifier	Yes	0..1
IssueDate	IssueDate	Date	Yes	0..1
XPath	XPath	Text	Yes	0..n

#### Subclasses in class DocumentReference (OrderResponse.OrderReference.DocumentReference)

UBL-Name	Name	Usage	Cardinality	Reference
Attachment	Attachment	Yes	0..1	3.3.1.1

**Field specifications****ID**

<b>Fieldname</b>	ID	<b>Alternative term</b>	
<b>Cardinality</b>	1	<b>Usage</b>	Yes
<b>Datatype</b>	Identifier		
<b>Definition</b>	The identifier for the Document being referred to		
<b>Example</b>	428.34		

**CopyIndicator**

<b>Fieldname</b>	CopyIndicator	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Indicator		
<b>Definition</b>	Indicates whether the referenced Document is a copy (true) or the original (false)		
<b>Example</b>	false		

**UUID**

<b>Fieldname</b>	UUID	<b>Alternative term</b>	OIOUBL_GUIDE_UUID
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Identifier		
<b>Definition</b>	A computer-generated universally unique identifier (UUID) for the referenced Document instance		
<b>See also</b>	OIOUBL_GUIDE_UUID ( G32 )		

**IssueDate**

<b>Fieldname</b>	IssueDate	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Date		
<b>Definition</b>	The date assigned by the sender of the referenced Document on which the referenced Document was issued		
<b>Example</b>	2006-09-01		

**XPath**

<b>Fieldname</b>	XPath	<b>Alternative term</b>	
<b>Cardinality</b>	0..n	<b>Usage</b>	Yes
<b>Datatype</b>	Text		
<b>Definition</b>	Refers to another part of the same document instance		
<b>Example</b>	/DocumentReference[ID='428.22']		

**Class Specification****Attachment**

<b>Classname</b>	Attachment	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Attachment		
<b>Definition</b>	An attached document, external referred to, referred in the MIME location or embedded.		
<b>See section</b>	3.3.1.1		

**Excluded classes and fields in DocumentReference (OrderResponse.OrderReference.DocumentReference)**

Name	Name	Type
DocumentTypeCode	DocumentTypeCode	Field
DocumentType	DocumentType	Field

**3.3.1.1.****OrderResponse.OrderReference.DocumentReference.Attachment****Attachment (OrderResponse.OrderReference.DocumentReference.Attachment) specification**

<b>Name</b>	OrderResponse.OrderReference.DocumentReference.Attachment	<b>Alternative term</b>	OIOUBL_GUIDE_ATTACHM ENT
<b>Definition</b>	Information about an attached document. An attachment can be referred to externally (with the URI element), internally (with the MIME reference element) or contained within the document itself (with the EmbeddedDocument element).		
<b>See also</b>	OIOUBL_GUIDE_ATTACHMENT ( OIO )		

**Fields**

UBL-Name	Name	Datatype	Usage	Cardinality
EmbeddedDocumentBinaryObject	EmbeddedDocumentBinaryObject	Binary Object	Bilateral	0..1

**Subclasses in class Attachment (OrderResponse.OrderReference.DocumentReference.Attachment)**

UBL-Name	Name	Usage	Cardi nality	Reference
ExternalReference	ExternalReference	Yes	0..1	G30 3.41

**Field specifications****EmbeddedDocumentBinaryObject**

<b>Fieldname</b>	EmbeddedDocumentBinaryObject	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Binary Object		
<b>Definition</b>	Contains an embedded document as a BLOB,		
<b>Businessrules</b>	Only allowed if no ExternalReference is specified and if bilateral agreed.		
<b>Dependency</b>	../ExternalReference		

**Class Specification**


**ExternalReference**

<b>Classname</b>	ExternalReference	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	ExternalReference		
<b>Definition</b>	An attached document, external referred to, referred in the MIME location or embedded.		
<b>Businessrules</b>	Used if no EmbeddedDocumentBinaryObject specified		
<b>Dependency</b>	../EmbeddedDocumentBinaryObject		
<b>See section</b>	G30 3.41		

**Excluded classes and fields in Attachment  
(OrderResponse.OrderReference.DocumentReference.Attachment)**

None

### 3.4. OrderResponse.Contract



#### Contract (OrderResponse.Contract) specification

<b>Name</b>	OrderResponse.Contract	<b>Alternative term</b>	
<b>Definition</b>	Information about a Contract		

#### Fields

UBL-Name	Name	Datatype	Usage	Cardinality
ID	ID	Identifier	Yes	1
ContractTypeCode	ContractTypeCode	Code	Bilateral	0..1
ContractType	ContractType	Text	Yes	0..1

#### Subclasses in class Contract (OrderResponse.Contract)

None

**Field specifications****ID**

<b>Fieldname</b>	ID	<b>Alternative term</b>	
<b>Cardinality</b>	1	<b>Usage</b>	Yes
<b>Datatype</b>	Identifier		
<b>Definition</b>	An identifier for Contract		
<b>Businessrules</b>	An identifier known by relevant parties		

**ContractTypeCode**

<b>Fieldname</b>	ContractTypeCode	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Code		
<b>Definition</b>	Specification of Contract Type expressed as a code		
<b>Businessrules</b>	A bilateral specified code if applicable.		
<b>Dependency</b>	../ContractType		


**ContractType**

<b>Fieldname</b>	ContractType	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Text		
<b>Definition</b>	Specification of Contract Type expressed as text		
<b>Businessrules</b>	Use if no code is applicable.		
<b>Recommendation</b>	Optional		
<b>Dependency</b>	../ContractTypeCode		

**Excluded classes and fields in Contract (OrderResponse.Contract)**

Name	Name	Type
IssueDate	IssueDate	Field
IssueTime	IssueTime	Field
ValidityPeriod	ValidityPeriod	Class
ContractDocumentReference	ContractDocumentReference	Class

### 3.5. OrderResponse.SellerSupplierParty



#### SellerSupplierParty (OrderResponse.SellerSupplierParty) specification

<b>Name</b>	OrderResponse.SellerSupplierParty	<b>Alternative term</b>	
<b>Definition</b>	Information about the Supplier Party		

#### Example

```

<cac:SellerSupplierParty>
  + <cac:Party />
</cac:SellerSupplierParty>
  
```

#### Fields

UBL-Name	Name	Datatype	Usage	Cardinality
CustomerAssignedAccountID	CustomerAssignedAccountID	Identifier	Yes	0..1
AdditionalAccountID	AdditionalAccountID	Identifier	Bilateral	0..n

#### Subclasses in class SellerSupplierParty (OrderResponse.SellerSupplierParty)

UBL-Name	Name	Usage	Cardinality	Reference
Party	Party	Yes	1	3.5.1
ShippingContact	ShippingContact	Bilateral	0..1	G30 3.21
AccountingContact	AccountingContact	Bilateral	0..1	G30 3.21
OrderContact	OrderContact	Bilateral	0..1	G30 3.21

**Field specifications****CustomerAssignedAccountID**

<b>Fieldname</b>	CustomerAssignedAccountID	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Identifier		
<b>Definition</b>	An identifier for the Supplier assigned by the Customer; the Customer's internal reference for the Supplier		

**AdditionalAccountID**

<b>Fieldname</b>	AdditionalAccountID	<b>Alternative term</b>	
<b>Cardinality</b>	0..n	<b>Usage</b>	Bilateral
<b>Datatype</b>	Identifier		
<b>Definition</b>	An identifier for the Supplier assigned by a third party		

**Class Specification****Party**

<b>Classname</b>	Party	<b>Alternative term</b>	
<b>Cardinality</b>	1	<b>Usage</b>	Yes
<b>Datatype</b>	Party		
<b>Definition</b>	An association to Party		
<b>See section</b>	3.5.1		

**ShippingContact**

<b>Classname</b>	ShippingContact	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Contact		
<b>Definition</b>	An association to Despatch		
<b>See section</b>	G30 3.21		

**AccountingContact**

<b>Classname</b>	AccountingContact	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Contact		
<b>Definition</b>	An association to the Supplier Accounting Contact		
<b>See section</b>	G30 3.21		


**OrderContact**

<b>Classname</b>	OrderContact	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Contact		
<b>Definition</b>	An association to the Seller		
<b>See section</b>	G30 3.21		

**Excluded classes and fields in SellerSupplierParty (OrderResponse.SellerSupplierParty)**

Name	Name	Type
DataSendingCapability	DataSendingCapability	Field

### 3.5.1. OrderResponse.SellerSupplierParty.Party



#### Party (OrderResponse.SellerSupplierParty.Party) specification

<b>Name</b>	OrderResponse.SellerSupplierParty.Party	<b>Alternative term</b>	OIOUBL_GUIDE_PARTIES
<b>Definition</b>	Information about an organisation, sub-organisation or individual fulfilling a role in a business process		
<b>See also</b>	OIOUBL_GUIDE_PARTIES ( OIO )		

#### Example

```

<cac:Party>
  <cbc:EndpointID schemeID="DK:CVR">DK73624118</cbc:EndpointID>
  + <cac:PartyIdentification />
  + <cac:PartyName />
  + <cac:PostalAddress />
  + <cac:PartyTaxScheme />
  + <cac:PartyLegalEntity />
  + <cac:Contact />
</cac:Party>
  
```

#### Fields

UBL-Name	Name	Datatype	Usage	Cardinality
WebsiteURI	WebsiteURI	Identifier	Bilateral	0..1
LogoReferenceID	LogoReferenceID	Identifier	Bilateral	0..1
EndpointID	EndpointID	Identifier	Yes	1

**Subclasses in class Party (OrderResponse.SellerSupplierParty.Party)**

UBL-Name	Name	Usage	Cardinality	Reference
PartyIdentification	PartyIdentification	Yes	0..n	G30 3.71
PartyName	PartyName	Yes	0..n	G30 3.73
Language	Language	Bilateral	0..1	G30 3.56
PostalAddress	PostalAddress	Yes	0..1	G30 3.1
PhysicalLocation	PhysicalLocation	Bilateral	0..1	G30 3.1
PartyTaxScheme	PartyTaxScheme	Yes	0..n	G30 3.74
PartyLegalEntity	PartyLegalEntity	Yes	1	G30 3.72
Contact	Contact	Yes	0..1	G30 3.21
Person	Person	Yes	0..1	G30 3.79

**Field specifications****WebsiteURI**

Fieldname	WebsiteURI	Alternative term	
Cardinality	0..1	Usage	Bilateral
Datatype	Identifier		
Definition	The Uniform Resource Identifier (URI) of the Party		

**LogoReferenceID**

Fieldname	LogoReferenceID	Alternative term	
Cardinality	0..1	Usage	Bilateral
Datatype	Identifier		
Definition	A Party's logo		

**EndpointID**

Fieldname	EndpointID	Alternative term	OIOUBL_GUIDE_ENDPOINT
Cardinality	1	Usage	Yes
Datatype	Identifier		
Definition	Identifies the end point of the routing service, e.g. EAN Location Number, GLN		
Id schemelist	urn:oiubl:scheme:endpointid-1.1		
See also	OIOUBL_GUIDE_ENDPOINT ( OIO )		

**Class Specification****PartyIdentification**

Classname	PartyIdentification	Alternative term	
Cardinality	0..n	Usage	Yes
Datatype	PartyIdentification		
Definition	An association to Party Identification		
See section	G30 3.71		

**PartyName**

Classname	PartyName	Alternative term	
Cardinality	0..n	Usage	Yes
Datatype	PartyName		
Definition	An association to Party Name. Party Name must be used where no Party Identification is used.		
Businessrules	Mandatory if PartyIdentification.ID is not used. Only use more than 1 if multilanguage.		
Recommendation	At Header level PartyName should be supplied		
Dependency	../PartyIdentification		
See section	G30 3.73		

**Language**

## 3.5.1. OrderResponse.SellerSupplierParty.Party

<b>Classname</b>	Language	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Language		
<b>Definition</b>	An association to Language		
<b>See section</b>	G30 3.56		

**PostalAddress**

<b>Classname</b>	PostalAddress	<b>Alternative term</b>	OIOUBL_GUIDE_ADDRESS
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Address		
<b>Definition</b>	The Party's postal address		
<b>Recommendation</b>	The Address should be specified on header level and must be of the type StructuredDK.		
<b>See section</b>	G30 3.1		
<b>See also</b>	OIOUBL_GUIDE_ADDRESS ( OIO )		

**PhysicalLocation**

<b>Classname</b>	PhysicalLocation	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Location		
<b>Definition</b>	The Party's visiting address		
<b>Recommendation</b>	Only if different from PostalAddress		
<b>See section</b>	G30 3.1		

**PartyTaxScheme**

<b>Classname</b>	PartyTaxScheme	<b>Alternative term</b>	OIOUBL_GUIDE_TAX
<b>Cardinality</b>	0..n	<b>Usage</b>	Yes
<b>Datatype</b>	PartyTaxScheme		
<b>Definition</b>	An association to Party Tax Scheme		
<b>See section</b>	G30 3.74		
<b>See also</b>	OIOUBL_GUIDE_TAX ( OIO )		

**PartyLegalEntity**

<b>Classname</b>	PartyLegalEntity	<b>Alternative term</b>	OIOUBL_GUIDE_TAX
<b>Cardinality</b>	1	<b>Usage</b>	Yes
<b>Datatype</b>	PartyLegalEntity		
<b>Definition</b>	An association to Party Legal Entity		
<b>See section</b>	G30 3.72		
<b>See also</b>	OIOUBL_GUIDE_TAX ( OIO )		

**Contact**

<b>Classname</b>	Contact	<b>Alternative term</b>	OIOUBL_GUIDE_CONTACT
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Contact		
<b>Definition</b>	An association to Contact		
<b>Recommendation</b>	The Contact information for the party		
<b>See section</b>	G30 3.21		
<b>See also</b>	OIOUBL_GUIDE_CONTACT ( G23 )		


**Person**

<b>Classname</b>	Person	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Person		
<b>Definition</b>	An association to a Person.		
<b>Recommendation</b>	Supplementary information for Contact		
<b>See section</b>	G30 3.79		

**Excluded classes and fields in Party (OrderResponse.SellerSupplierParty.Party)**

<b>Name</b>	<b>Name</b>	<b>Type</b>
MarkCareIndicator	MarkCareIndicator	Field
MarkAttentionIndicator	MarkAttentionIndicator	Field
AgentParty	AgentParty	Class

### 3.6. OrderResponse.BuyerCustomerParty



#### BuyerCustomerParty (OrderResponse.BuyerCustomerParty) specification

<b>Name</b>	OrderResponse.BuyerCustomerParty	<b>Alternative term</b>	
<b>Definition</b>	Information about the Customer Party		

#### Example

```
<cac:BuyerCustomerParty>
  + <cac:Party />
</cac:BuyerCustomerParty>
```

#### Fields

UBL-Name	Name	Datatype	Usage	Cardinality
SupplierAssignedAccountID	SupplierAssignedAccountID	Identifier	Yes	0..1

#### Subclasses in class BuyerCustomerParty (OrderResponse.BuyerCustomerParty)

UBL-Name	Name	Usage	Cardinality	Reference
Party	Party	Yes	1	3.6.1
DeliveryContact	DeliveryContact	Bilateral	0..1	G30 3.29
AccountingContact	AccountingContact	Bilateral	0..1	
BuyerContact	BuyerContact	Bilateral	0..1	

#### Field specifications

##### SupplierAssignedAccountID

<b>Fieldname</b>	SupplierAssignedAccountID	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Identifier		
<b>Definition</b>	An identifier referring to an account for the Customer assigned by the Supplier		
<b>Businessrules</b>	Do not use the attributes, only the ID		

#### Class Specification

**Party**

<b>Classname</b>	Party	<b>Alternative term</b>	
<b>Cardinality</b>	1	<b>Usage</b>	Yes
<b>Datatype</b>	Party		
<b>Definition</b>	An association to Party		
<b>See section</b>	3.6.1		

**DeliveryContact**

<b>Classname</b>	DeliveryContact	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Contact		
<b>Definition</b>	An association to Delivery Contact.		
<b>See section</b>	G30 3.29		

**AccountingContact**

<b>Classname</b>	AccountingContact	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Contact		
<b>Definition</b>	An association to Customer Accounting Contact.		
<b>See section</b>	G30 3.		


**BuyerContact**

<b>Classname</b>	BuyerContact	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Contact		
<b>Definition</b>	An association to Buyer Contact.		
<b>See section</b>	G30 3.		

**Excluded classes and fields in BuyerCustomerParty (OrderResponse.BuyerCustomerParty)**

Name	Name	Type
CustomerAssignedAccountID	CustomerAssignedAccountID	Field
AdditionalAccountID	AdditionalAccountID	Field

### 3.6.1. OrderResponse.BuyerCustomerParty.Party



#### Party (OrderResponse.BuyerCustomerParty.Party) specification

<b>Name</b>	OrderResponse.BuyerCustomerParty.Party	<b>Alternative term</b>	OIOUBL_GUIDE_PARTIES
<b>Definition</b>	Information about an organisation, sub-organisation or individual fulfilling a role in a business process		
<b>See also</b>	OIOUBL_GUIDE_PARTIES ( OIO )		

#### Example

```

<cac:Party>
  <cbc:EndpointID schemeAgencyID="9" schemeID="GLN">5798000700814</cbc:EndpointID>
  + <cac:PartyIdentification />
  + <cac:PartyName />
  + <cac:PostalAddress />
  + <cac:PartyLegalEntity />
  + <cac:Contact />
</cac:Party>
  
```

#### Fields

UBL-Name	Name	Datatype	Usage	Cardinality
WebsiteIURI	WebsiteIURI	Identifier	Bilateral	0..1
LogoReferenceID	LogoReferenceID	Identifier	Bilateral	0..1
EndpointID	EndpointID	Identifier	Yes	1

**Subclasses in class Party (OrderResponse.BuyerCustomerParty.Party)**

UBL-Name	Name	Usage	Cardinality	Reference
PartyIdentification	PartyIdentification	Yes	0..n	G30 3.71
PartyName	PartyName	Yes	0..n	G30 3.73
Language	Language	Bilateral	0..1	G30 3.56
PostalAddress	PostalAddress	Yes	0..1	G30 3.1
PhysicalLocation	PhysicalLocation	Yes	0..1	G30 3.1
PartyTaxScheme	PartyTaxScheme	Yes	0..n	G30 3.74
PartyLegalEntity	PartyLegalEntity	Yes	1	G30 3.72
Contact	Contact	Yes	1	3.6.1.1
Person	Person	Yes	0..1	G30 3.79

**Field specifications****WebsiteURI**

Fieldname	WebsiteURI	Alternative term	
Cardinality	0..1	Usage	Bilateral
Datatype	Identifier		
Definition	The Uniform Resource Identifier (URI) of the Party		

**LogoReferenceID**

Fieldname	LogoReferenceID	Alternative term	
Cardinality	0..1	Usage	Bilateral
Datatype	Identifier		
Definition	A Party's logo		

**EndpointID**

Fieldname	EndpointID	Alternative term	OIOUBL_GUIDE_ENDPOINT
Cardinality	1	Usage	Yes
Datatype	Identifier		
Definition	Identifies the end point of the routing service, e.g. EAN Location Number, GLN		
Id schemelist	urn:oiubl:scheme:endpointid-1.1		
See also	OIOUBL_GUIDE_ENDPOINT ( OIO )		

**Class Specification****PartyIdentification**

Classname	PartyIdentification	Alternative term	
Cardinality	0..n	Usage	Yes
Datatype	PartyIdentification		
Definition	An association to Party Identification		
See section	G30 3.71		

**PartyName**

Classname	PartyName	Alternative term	
Cardinality	0..n	Usage	Yes
Datatype	PartyName		
Definition	An association to Party Name. Party Name must be used where no Party Identification is used.		
Businessrules	Mandatory if PartyIdentification.ID is not used. Only use more than 1 if multilanguage.		
Recommendation	At Header level PartyName should be supplied		
Dependency	../PartyIdentification		
See section	G30 3.73		

**Language**

## 3.6.1. OrderResponse.BuyerCustomerParty.Party

<b>Classname</b>	Language	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Language		
<b>Definition</b>	An association to Language		
<b>See section</b>	G30 3.56		

**PostalAddress**

<b>Classname</b>	PostalAddress	<b>Alternative term</b>	OIOUBL_GUIDE_ADDRESS
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Address		
<b>Definition</b>	The Party's postal address		
<b>Recommendation</b>	The Address should be specified on header level and must be of the type StructuredDK.		
<b>See section</b>	G30 3.1		
<b>See also</b>	OIOUBL_GUIDE_ADDRESS ( OIO )		

**PhysicalLocation**

<b>Classname</b>	PhysicalLocation	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Location		
<b>Definition</b>	The Party's visiting address		
<b>Recommendation</b>	Only if different from PostalAddress		
<b>See section</b>	G30 3.1		

**PartyTaxScheme**

<b>Classname</b>	PartyTaxScheme	<b>Alternative term</b>	OIOUBL_GUIDE_TAX
<b>Cardinality</b>	0..n	<b>Usage</b>	Yes
<b>Datatype</b>	PartyTaxScheme		
<b>Definition</b>	An association to Party Tax Scheme		
<b>See section</b>	G30 3.74		
<b>See also</b>	OIOUBL_GUIDE_TAX ( OIO )		

**PartyLegalEntity**

<b>Classname</b>	PartyLegalEntity	<b>Alternative term</b>	OIOUBL_GUIDE_TAX
<b>Cardinality</b>	1	<b>Usage</b>	Yes
<b>Datatype</b>	PartyLegalEntity		
<b>Definition</b>	An association to Party Legal Entity		
<b>See section</b>	G30 3.72		
<b>See also</b>	OIOUBL_GUIDE_TAX ( OIO )		

**Contact**

<b>Classname</b>	Contact	<b>Alternative term</b>	OIOUBL_GUIDE_CONTACT
<b>Cardinality</b>	1	<b>Usage</b>	Yes
<b>Datatype</b>	Contact		
<b>Definition</b>	An association to Contact		
<b>Recommendation</b>	The Contact information for the party		
<b>See section</b>	3.6.1.1		
<b>See also</b>	OIOUBL_GUIDE_CONTACT ( G23 )		


**Person**

<b>Classname</b>	Person	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Person		
<b>Definition</b>	An association to a Person.		
<b>Recommendation</b>	Supplementary information for Contact		
<b>See section</b>	G30 3.79		

**Excluded classes and fields in Party (OrderResponse.BuyerCustomerParty.Party)**

<b>Name</b>	<b>Name</b>	<b>Type</b>
MarkCareIndicator	MarkCareIndicator	Field
MarkAttentionIndicator	MarkAttentionIndicator	Field
AgentParty	AgentParty	Class

### 3.6.1.1. OrderResponse.BuyerCustomerParty.Party.Contact



#### Contact (OrderResponse.BuyerCustomerParty.Party.Contact) specification

<b>Name</b>	OrderResponse.BuyerCustomerParty.Party.Contact	<b>Alternative term</b>	OIOUBL_GUIDE_CONTACT
<b>Definition</b>	Information about a contactable person or organisation department		
<b>See also</b>	OIOUBL_GUIDE_CONTACT ( G23 )		

#### Example

```

<cac:Contact>
  <cbc:ID>EBS123123123</cbc:ID>
  <cbc:Name>Keld Thomsen</cbc:Name>
</cac:Contact>
  
```

#### Fields

UBL-Name	Name	Datatype	Usage	Cardinality
ID	ID	Identifier	Yes	1
Name	Name	Name	Yes	0..1
Telephone	Telephone	Text	Yes	0..1
Telefax	Telefax	Text	Yes	0..1
ElectronicMail	ElectronicMail	Text	Yes	0..1
Note	Note	Text	Yes	0..1

#### Subclasses in class Contact (OrderResponse.BuyerCustomerParty.Party.Contact)

UBL-Name	Name	Usage	Cardinality	Reference
OtherCommunication	OtherCommunication	Yes	0..n	G30 3.19

**Field specifications****ID**

<b>Fieldname</b>	ID	<b>Alternative term</b>	
<b>Cardinality</b>	1	<b>Usage</b>	Yes
<b>Datatype</b>	Identifier		
<b>Definition</b>	An identifier for the Contact		

**Name**

<b>Fieldname</b>	Name	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Name		
<b>Definition</b>	The name of the Contact		

**Telephone**

<b>Fieldname</b>	Telephone	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Text		
<b>Definition</b>	The telephone number of the Contact		

**Telefax**

<b>Fieldname</b>	Telefax	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Text		
<b>Definition</b>	The fax number of the Contact		

**ElectronicMail**

<b>Fieldname</b>	ElectronicMail	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Text		
<b>Definition</b>	The Email address of the Contact		

**Note**

<b>Fieldname</b>	Note	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Text		
<b>Definition</b>	A note describing the circumstances in which the Contact can be used such as 'Emergency' or 'After Hours'		
<b>Businessrules</b>	Note for usage of contact		


**Class Specification****OtherCommunication**

<b>Classname</b>	OtherCommunication	<b>Alternative term</b>	
<b>Cardinality</b>	0..n	<b>Usage</b>	Yes
<b>Datatype</b>	Communication		
<b>Definition</b>	An association to Other Communication		
<b>See section</b>	G30 3.19		

**Excluded classes and fields in Contact (OrderResponse.BuyerCustomerParty.Party.Contact)**

None

### 3.7. OrderResponse.Delivery



#### Delivery (OrderResponse.Delivery) specification

<b>Name</b>	OrderResponse.Delivery	<b>Alternative term</b>	OIOUBL_GUIDE_DELIVERY
<b>Definition</b>	An association to Delivery		
<b>See also</b>	OIOUBL_GUIDE_DELIVERY ( OIO )		

#### Fields

UBL-Name	Name	Datatype	Usage	Cardinality
Quantity	Quantity	Quantity	Bilateral	0..1
MinimumQuantity	MinimumQuantity	Quantity	Bilateral	0..1
MaximumQuantity	MaximumQuantity	Quantity	Bilateral	0..1
LatestDeliveryDate	LatestDeliveryDate	Date	Yes	0..1
LatestDeliveryTime	LatestDeliveryTime	Time	Yes	0..1
TrackingID	TrackingID	Identifier	Bilateral	0..1

#### Subclasses in class Delivery (OrderResponse.Delivery)

UBL-Name	Name	Usage	Cardinality	Reference
DeliveryLocation	DeliveryLocation	Yes	0..1	G30 3.30,1
DeliveryParty	DeliveryParty	Yes	0..1	G30 3.70
Despatch	Despatch	Bilateral	0..1	G30 3.32

**Field specifications****Quantity**

<b>Fieldname</b>	Quantity	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Quantity		
<b>Definition</b>	The quantity for a Delivery		

**MinimumQuantity**

<b>Fieldname</b>	MinimumQuantity	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Quantity		
<b>Definition</b>	The Minimum quantity for a Delivery		

**MaximumQuantity**

<b>Fieldname</b>	MaximumQuantity	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Quantity		
<b>Definition</b>	The Maximum quantity for a Delivery		

**LatestDeliveryDate**

<b>Fieldname</b>	LatestDeliveryDate	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Date		
<b>Definition</b>	The latest possible date of Delivery		

**LatestDeliveryTime**

<b>Fieldname</b>	LatestDeliveryTime	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Time		
<b>Definition</b>	The latest possible time of Delivery		

**TrackingID**

<b>Fieldname</b>	TrackingID	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Identifier		
<b>Definition</b>	The tracking ID of the Delivery (for transport tracking)		

**Class Specification****DeliveryLocation**

<b>Classname</b>	DeliveryLocation	<b>Alternative term</b>	OIOUBL_GUIDE_ADDRESS
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Location		
<b>Definition</b>	An association to Location		
<b>Businessrules</b>	Under DeliveryLocation it is possible to specify a delivery address if it differs from the buyers address		
<b>See section</b>	G30 3.30,1		
<b>See also</b>	OIOUBL_GUIDE_ADDRESS ( OIO )		

**DeliveryParty**

<b>Classname</b>	DeliveryParty	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Party		
<b>Definition</b>	The Party who the goods/services are delivered to.		
<b>Businessrules</b>	A DeliveryParty can be specified if the ownership legally is handed over to a party different from the buyer.		
<b>See section</b>	G30 3.70		

**Despatch**


## 3.7. OrderResponse.Delivery

<b>Classname</b>	Despatch	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Despatch		
<b>Definition</b>	The Party who dispatched the Delivery		
<b>See section</b>	G30 3.32		

**Excluded classes and fields in Delivery (OrderResponse.Delivery)**

Name	Name	Type
ID	ID	Field
ActualDeliveryDate	ActualDeliveryDate	Field
ActualDeliveryTime	ActualDeliveryTime	Field
DeliveryAddress	DeliveryAddress	Class
RequestedDeliveryPeriod	RequestedDeliveryPeriod	Class
PromisedDeliveryPeriod	PromisedDeliveryPeriod	Class
EstimatedDeliveryPeriod	EstimatedDeliveryPeriod	Class

### 3.8. OrderResponse.OrderLine



#### OrderLine (OrderResponse.OrderLine) specification

<b>Name</b>	OrderResponse.OrderLine	<b>Alternative term</b>	
<b>Definition</b>	Information about an OrderLine		

#### Example

```

<cac:OrderLine>
+ <cac:LineItem />
</cac:OrderLine>
    
```

#### Fields

UBL-Name	Name	Datatype	Usage	Cardinality
SubstitutionStatusCode	SubstitutionStatusCode	Code	Yes	0..1
Note	Note	Text	Yes	0..n

#### Subclasses in class OrderLine (OrderResponse.OrderLine)

UBL-Name	Name	Usage	Cardinality	Reference
LineItem	LineItem	Yes	1	3.8.1
SellerProposedSubstituteLineItem	SellerProposedSubstituteLineItem	Yes	0..n	G30 3.57
QuotationLineReference	QuotationLineReference	Bilateral	0..1	G30 3.58
DocumentReference	DocumentReference	Bilateral	0..n	G30 3.36

## Field specifications

### *SubstitutionStatusCode*

<b>Fieldname</b>	SubstitutionStatusCode	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Code		
<b>Definition</b>	A code specifying SubstitutionStatusCode for the OrderLine. An OrderLine may specify that the substitution must be proposed by Buyer or Seller (in the OrderResponse) or that the substitution must be carried out by Seller (in the OrderResponse)		
<b>Codelist</b>	urn:oiubl:codelist:substitutionstatuscode-1.1		

### *Note*

<b>Fieldname</b>	Note	<b>Alternative term</b>	
<b>Cardinality</b>	0..n	<b>Usage</b>	Yes
<b>Datatype</b>	Text		
<b>Definition</b>	Free form text applying to the OrderLine. This element may contain notes or any other similar information that is not contained explicitly in another structure.		
<b>Businessrules</b>	Use only one note per language. The Note under OrderLine is used to describe the Lineltem e.g. why the line is changed or why the ordered item can not be supplied.		

## Class Specification

### *Lineltem*

<b>Classname</b>	Lineltem	<b>Alternative term</b>	
<b>Cardinality</b>	1	<b>Usage</b>	Yes
<b>Datatype</b>	Lineltem		
<b>Definition</b>	An association to Lineltem		
<b>See section</b>	3.8.1		

### *SellerProposedSubstituteLineltem*

<b>Classname</b>	SellerProposedSubstituteLineltem	<b>Alternative term</b>	
<b>Cardinality</b>	0..n	<b>Usage</b>	Yes
<b>Datatype</b>	Lineltem		
<b>Definition</b>	SubstituteLineltems proposed by Seller (in OrderResponse)		
<b>See section</b>	G30 3.57		

### *QuotationLineReference*

<b>Classname</b>	QuotationLineReference	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	LineReference		
<b>Definition</b>	An association to a reference to a line in an Quotation		
<b>See section</b>	G30 3.58		


### *DocumentReference*

<b>Classname</b>	DocumentReference	<b>Alternative term</b>	
<b>Cardinality</b>	0..n	<b>Usage</b>	Bilateral
<b>Datatype</b>	DocumentReference		
<b>Definition</b>	An association to DocumentReference		
<b>See section</b>	G30 3.36		

## Excluded classes and fields in OrderLine (OrderResponse.OrderLine)

Name	Name	Type
SellerSubstitutedLineltem	SellerSubstitutedLineltem	Class
BuyerProposedSubstituteLineltem	BuyerProposedSubstituteLineltem	Class
CatalogueLineReference	CatalogueLineReference	Class

### 3.8.1. OrderResponse.OrderLine.LineItem



**LineItem (OrderResponse.OrderLine.LineItem) specification**

<b>Name</b>	OrderResponse.OrderLine.LineItem	<b>Alternative term</b>	
<b>Definition</b>	Information about a LineItem		

**Example**

```
<cac:LineItem>
  <cbc:ID>1</cbc:ID>
  <cbc:Quantity>1</cbc:Quantity>
  <cbc:LineExtensionAmount currencyID="DKK">1975</cbc:LineExtensionAmount>
  <cbc:TotalTaxAmount currencyID="DKK">245</cbc:TotalTaxAmount>
  + <cac:Delivery />
  + <cac:Price />
  + <cac:Item />
</cac:LineItem>
```

**Fields**

UBL-Name	Name	Datatype	Usage	Cardinality
ID	ID	Identifier	Yes	1
UUID	UUID	Identifier	Bilateral	0..1
Note	Note	Text	Yes	0..n
LineStatusCode	LineStatusCode	Code	Yes	0..1
Quantity	Quantity	Quantity	Yes	0..1
LineExtensionAmount	LineExtensionAmount	Amount	Yes	0..1
TotalTaxAmount	TotalTaxAmount	Amount	Yes	0..1
MinimumQuantity	MinimumQuantity	Quantity	Yes	0..1
MaximumQuantity	MaximumQuantity	Quantity	Yes	0..1
MinimumBackorderQuantity	MinimumBackorderQuantity	Quantity	Yes	0..1
MaximumBackorderQuantity	MaximumBackorderQuantity	Quantity	Yes	0..1
InspectionMethodCode	InspectionMethodCode	Code	Bilateral	0..1
PartialDeliveryIndicator	PartialDeliveryIndicator	Indicator	Yes	0..1
BackOrderAllowedIndicator	BackOrderAllowedIndicator	Indicator	Yes	0..1
AccountingCostCode	AccountingCostCode	Code	Bilateral	0..1
AccountingCost	AccountingCost	Text	Yes	0..1

**Subclasses in class LineItem (OrderResponse.OrderLine.LineItem)**

UBL-Name	Name	Usage	Cardinality	Reference
Delivery	Delivery	Yes	0..n	3.8.1.1
DeliveryTerms	DeliveryTerms	Yes	0..1	G30 3.30
OriginatorParty	OriginatorParty	Yes	0..1	G30 3.70
OrderedShipment	OrderedShipment	Bilateral	0..1	G30 3.68
PricingReference	PricingReference	Yes	0..1	G30 3.83
AllowanceCharge	AllowanceCharge	Yes	0..n	G30 3.4
Price	Price	Yes	0..1	3.8.1.2
Item	Item	Yes	1	3.8.1.3

## Field specifications

**ID**

<b>Fieldname</b>	ID	<b>Alternative term</b>	
<b>Cardinality</b>	1	<b>Usage</b>	Yes
<b>Datatype</b>	Identifier		
<b>Definition</b>	The identifier for the LineItem specified by Buyer. The value must be identical with the corresponding value in the original order or order change.		
<b>Businessrules</b>	Unique within the document instance. Referenced in Invoice OrderLineReference - LineId		
<b>Recommendation</b>	Could be a sequence of numbers		

**UUID**

<b>Fieldname</b>	UUID	<b>Alternative term</b>	OIOUBL_GUIDE_UUID
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Identifier		
<b>Definition</b>	A computer-generated universally unique identifier (UUID) for the ItemLine instance		
<b>Recommendation</b>	Must be unique to the LineItem Instance. Only reuse UUID if CopyIndicator is true		
<b>See also</b>	OIOUBL_GUIDE_UUID ( G32 )		

**Note**

<b>Fieldname</b>	Note	<b>Alternative term</b>	
<b>Cardinality</b>	0..n	<b>Usage</b>	Yes
<b>Datatype</b>	Text		
<b>Definition</b>	Free form text applying to the ItemLine. This element may contain notes or any other similar information that is not contained explicitly in another structure.		
<b>Businessrules</b>	Only human readable content. Use only one note for each language		

**LineStatusCode**

<b>Fieldname</b>	LineStatusCode	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Code		
<b>Definition</b>	Specifies the status for the Line as related to the original status, whether it is a new line, a change in or a deletion of the line.		
<b>Codelist</b>	urn:oiubl:codelist:linestatuscode-1.1		

**Quantity**

<b>Fieldname</b>	Quantity	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Quantity		
<b>Definition</b>	The quantity of Items for the LineItem		
<b>Businessrules</b>	The ordered quantity. Use codelist for Unit of Measure		
<b>Legal values</b>	>0		

**LineExtensionAmount**

<b>Fieldname</b>	LineExtensionAmount	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Amount		
<b>Definition</b>	The total amount for LineItem including AllowanceCharges, but excluding Taxes		
<b>Legal values</b>	>0		

**TotalTaxAmount**

<b>Fieldname</b>	TotalTaxAmount	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Amount		
<b>Definition</b>	The total tax amount for LineItem		
<b>Legal values</b>	>0		

**MinimumQuantity**

<b>Fieldname</b>	MinimumQuantity	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Quantity		
<b>Definition</b>	The minimum quantity of Item on LineItem		
<b>Legal values</b>	>0		

**MaximumQuantity**

<b>Fieldname</b>	MaximumQuantity	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Quantity		
<b>Definition</b>	The maximum quantity of Item on LineItem		
<b>Legal values</b>	>0		

**MinimumBackorderQuantity**

<b>Fieldname</b>	MinimumBackorderQuantity	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Quantity		
<b>Definition</b>	The minimum quantity for a back order (provided that back order is allowed)		
<b>Legal values</b>	>0		

**MaximumBackorderQuantity**

<b>Fieldname</b>	MaximumBackorderQuantity	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Quantity		
<b>Definition</b>	The maximum quantity for a back order (provided that back order is allowed)		
<b>Legal values</b>	>0		

**InspectionMethodCode**

<b>Fieldname</b>	InspectionMethodCode	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Code		
<b>Definition</b>	Inspection method for a LineItem expressed as a code		
<b>Businessrules</b>	Bilateral defined		

**PartialDeliveryIndicator**

<b>Fieldname</b>	PartialDeliveryIndicator	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Indicator		
<b>Definition</b>	Specifies if partial delivery is allowed		
<b>Businessrules</b>	If not specified, the indicator is assumed to be false		

**BackOrderAllowedIndicator**

<b>Fieldname</b>	BackOrderAllowedIndicator	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Indicator		
<b>Definition</b>	Specifies if back order is allowed		
<b>Businessrules</b>	If not specified, the indicator is assumed to be false		

**AccountingCostCode**

<b>Fieldname</b>	AccountingCostCode	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Code		
<b>Definition</b>	The Buyer's accounting code applied to the Order Line		
<b>Businessrules</b>	Bilateral		
<b>Dependency</b>	../AccountingCost		
<b>Example</b>	5050		

**AccountingCost**

<b>Fieldname</b>	AccountingCost	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Text		
<b>Definition</b>	The Buyer's accounting code applied to the Order Line, expressed as text		
<b>Businessrules</b>	Only use if Code not applied		
<b>Dependency</b>	../AccountingCostCode		

## Class Specification

### *Delivery*

<b>Classname</b>	Delivery	<b>Alternative term</b>	
<b>Cardinality</b>	0..n	<b>Usage</b>	Yes
<b>Datatype</b>	Delivery		
<b>Definition</b>	An association to Delivery		
<b>Businessrules</b>	Request for delivery. Only if different on line level. Only if no standard Delivery agreement present		
<b>See section</b>	3.8.1.1		

### *DeliveryTerms*

<b>Classname</b>	DeliveryTerms	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	DeliveryTerms		
<b>Definition</b>	An association to DeliveryTerms		
<b>Recommendation</b>	The term on the delivery specified or reference to delivery agreement.		
<b>See section</b>	G30 3.30		

### *OriginatorParty*

<b>Classname</b>	OriginatorParty	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Party		
<b>Definition</b>	The Party initiating the Order		
<b>Recommendation</b>	Use if applicable and differ on line level		
<b>See section</b>	G30 3.70		

### *OrderedShipment*

<b>Classname</b>	OrderedShipment	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	OrderedShipment		
<b>Definition</b>	An association to OrderedShipment		
<b>See section</b>	G30 3.68		

### *PricingReference*

<b>Classname</b>	PricingReference	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	PricingReference		
<b>Definition</b>	An association to PricingReference		
<b>Businessrules</b>	For information purpose only		
<b>See section</b>	G30 3.83		

### *AllowanceCharge*

<b>Classname</b>	AllowanceCharge	<b>Alternative term</b>	
<b>Cardinality</b>	0..n	<b>Usage</b>	Yes
<b>Datatype</b>	AllowanceCharge		
<b>Definition</b>	An association to AllowanceCharge		
<b>Businessrules</b>	The assumed, agreed or legal Allowance and/or Charge		
<b>See section</b>	G30 3.4		

### *Price*

## 3.8.1. OrderResponse.OrderLine.LineItem

<b>Classname</b>	Price	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Price		
<b>Definition</b>	An association to Price		
<b>Businessrules</b>	Required in the following profiles: Procurement-OrdSim-BilSim-1.0, Procurement-OrdSimR-BilSim-1.0, Procurement-OrdSim-BilSimR-1.0, Procurement-OrdSimR-BilSimR-1.0 and urn:www.nesubl.eu:profiles:profile7:ver1.0.		
<b>See section</b>	3.8.1.2		

*Item*

<b>Classname</b>	Item	<b>Alternative term</b>	
<b>Cardinality</b>	1	<b>Usage</b>	Yes
<b>Datatype</b>	Item		
<b>Definition</b>	An association to Item		
<b>See section</b>	3.8.1.3		

**Excluded classes and fields in LineItem (OrderResponse.OrderLine.LineItem)**

Name	Name	Type
SalesOrderID	SalesOrderID	Field

### 3.8.1.1. OrderResponse.OrderLine.LinItem.Delivery



#### Delivery (OrderResponse.OrderLine.LinItem.Delivery) specification

<b>Name</b>	OrderResponse.OrderLine.LinItem.Delivery	<b>Alternative term</b>	OIOUBL_GUIDE_DELIVERY
<b>Definition</b>	An association to Delivery		
<b>See also</b>	OIOUBL_GUIDE_DELIVERY ( OIO )		

#### Example

```

<cac:Delivery>
  <cbc:LatestDeliveryDate>2006-04-25</cbc:LatestDeliveryDate>
  + <cac:DeliveryLocation />
</cac:Delivery>
  
```

#### Fields

UBL-Name	Name	Datatype	Usage	Cardinality
Quantity	Quantity	Quantity	Yes	0..1
MinimumQuantity	MinimumQuantity	Quantity	Bilateral	0..1
MaximumQuantity	MaximumQuantity	Quantity	Bilateral	0..1
LatestDeliveryDate	LatestDeliveryDate	Date	Yes	0..1
LatestDeliveryTime	LatestDeliveryTime	Time	Yes	0..1
TrackingID	TrackingID	Identifier	Bilateral	0..1

**Subclasses in class Delivery (OrderResponse.OrderLine.LineItem.Delivery)**

UBL-Name	Name	Usage	Cardinality	Reference
DeliveryLocation	DeliveryLocation	Yes	0..1	G30 3.30,1
RequestedDeliveryPeriod	RequestedDeliveryPeriod	Yes	0..1	G30 3.78
PromisedDeliveryPeriod	PromisedDeliveryPeriod	Yes	0..1	G30 3.78
EstimatedDeliveryPeriod	EstimatedDeliveryPeriod	Yes	0..1	G30 3.78
DeliveryParty	DeliveryParty	Yes	0..1	G30 3.70
Despatch	Despatch	Bilateral	0..1	G30 3.32

**Field specifications****Quantity**

Fieldname	Quantity	Alternative term	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Quantity		
<b>Definition</b>	The quantity for a Delivery		

**MinimumQuantity**

Fieldname	MinimumQuantity	Alternative term	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Quantity		
<b>Definition</b>	The Minimum quantity for a Delivery		

**MaximumQuantity**

Fieldname	MaximumQuantity	Alternative term	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Quantity		
<b>Definition</b>	The Maximum quantity for a Delivery		

**LatestDeliveryDate**

Fieldname	LatestDeliveryDate	Alternative term	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Date		
<b>Definition</b>	The latest possible date of Delivery specified by Buyer		

**LatestDeliveryTime**

Fieldname	LatestDeliveryTime	Alternative term	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Time		
<b>Definition</b>	The latest possible time of Delivery specified by Buyer		

**TrackingID**

Fieldname	TrackingID	Alternative term	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Identifier		
<b>Definition</b>	The tracking ID of the Delivery (for transport tracking)		

**Class Specification****DeliveryLocation**

Classname	DeliveryLocation	Alternative term	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Location		
<b>Definition</b>	An association to Location		
<b>Businessrules</b>	Use the same delivery location for all deliveries in the same line		
<b>See section</b>	G30 3.30,1		

**RequestedDeliveryPeriod**

<b>Classname</b>	RequestedDeliveryPeriod	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Period		
<b>Definition</b>	The requested Delivery period		
<b>Businessrules</b>	For customer originated messages		
<b>See section</b>	G30 3.78		

**PromisedDeliveryPeriod**

<b>Classname</b>	PromisedDeliveryPeriod	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Period		
<b>Definition</b>	The promised Delivery period		
<b>Businessrules</b>	For supplier originated messages		
<b>See section</b>	G30 3.78		

**EstimatedDeliveryPeriod**

<b>Classname</b>	EstimatedDeliveryPeriod	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Period		
<b>Definition</b>	The estimated Delivery period		
<b>Businessrules</b>	For supplier originated messages		
<b>See section</b>	G30 3.78		

**DeliveryParty**

<b>Classname</b>	DeliveryParty	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Party		
<b>Definition</b>	The Party who the goods/services are delivered to.		
<b>Businessrules</b>	A DeliveryParty can be specified if the ownership legally is handed over to a party different from the buyer.		
<b>See section</b>	G30 3.70		


**Despatch**

<b>Classname</b>	Despatch	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Despatch		
<b>Definition</b>	The Party who dispatched the Delivery		
<b>See section</b>	G30 3.32		

**Excluded classes and fields in Delivery (OrderResponse.OrderLine.LinItem.Delivery)**

Name	Name	Type
ID	ID	Field
ActualDeliveryDate	ActualDeliveryDate	Field
ActualDeliveryTime	ActualDeliveryTime	Field
DeliveryAddress	DeliveryAddress	Class

### 3.8.1.2. OrderResponse.OrderLine.LinItem.Price



#### Price (OrderResponse.OrderLine.LinItem.Price) specification

<b>Name</b>	OrderResponse.OrderLine.LinItem.Price	<b>Alternative term</b>	OIOUBL_GUIDE_PRICES
<b>Definition</b>	Information about the price		
<b>See also</b>	OIOUBL_GUIDE_PRICES ( OIO )		

#### Example

```

<cac:Price>
  <cbc:PriceAmount currencyID="DKK">1730</cbc:PriceAmount>
</cac:Price>
  
```

#### Fields

UBL-Name	Name	Datatype	Usage	Cardinality
PriceAmount	PriceAmount	Amount	Yes	1
BaseQuantity	BaseQuantity	Quantity	Yes	0..1
PriceChangeReason	PriceChangeReason	Text	Bilateral	0..n
PriceTypeCode	PriceTypeCode	Code	Bilateral	0..1
PriceType	PriceType	Text	Bilateral	0..1
OrderableUnitFactorRate	OrderableUnitFactorRate	Rate	Yes	0..1

#### Subclasses in class Price (OrderResponse.OrderLine.LinItem.Price)

UBL-Name	Name	Usage	Cardinality	Reference
PriceList	PriceList	Bilateral	0..1	G30 3.82
AllowanceCharge	AllowanceCharge	Yes	0..n	G30 3.4

**Field specifications****PriceAmount**

<b>Fieldname</b>	PriceAmount	<b>Alternative term</b>	
<b>Cardinality</b>	1	<b>Usage</b>	Yes
<b>Datatype</b>	Amount		
<b>Definition</b>	The Price amount		

**BaseQuantity**

<b>Fieldname</b>	BaseQuantity	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Quantity		
<b>Definition</b>	The actual quantity to which the Price applies		
<b>Businessrules</b>	Should be specified. If not specified the default value is 1 EA (each)		

**PriceChangeReason**

<b>Fieldname</b>	PriceChangeReason	<b>Alternative term</b>	
<b>Cardinality</b>	0..n	<b>Usage</b>	Bilateral
<b>Datatype</b>	Text		
<b>Definition</b>	The reason for the Price change expressed as text		
<b>Businessrules</b>	Only use more than 1 if multilanguage		

**PriceTypeCode**

<b>Fieldname</b>	PriceTypeCode	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Code		
<b>Definition</b>	The Price type expressed as a code		
<b>Codelist</b>	UN/ECE 5387		

**PriceType**

<b>Fieldname</b>	PriceType	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Text		
<b>Definition</b>	The Price type expressed as text		

**OrderableUnitFactorRate**

<b>Fieldname</b>	OrderableUnitFactorRate	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Rate		
<b>Definition</b>	The factor by which the base price unit can be converted to the orderable unit		
<b>Businessrules</b>	Default value is 1		

**Class Specification****PriceList**


<b>Classname</b>	PriceList	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	PriceList		
<b>Definition</b>	A reference to a Price List		
<b>Businessrules</b>	Used for referenced prices		
<b>See section</b>	G30 3.82		


**AllowanceCharge**

<b>Classname</b>	AllowanceCharge	<b>Alternative term</b>	
<b>Cardinality</b>	0..n	<b>Usage</b>	Yes
<b>Datatype</b>	AllowanceCharge		
<b>Definition</b>	An association to Allowance Charge		
<b>Businessrules</b>	An Explanation of the price makeup.		
<b>See section</b>	G30 3.4		

**Excluded classes and fields in Price (OrderResponse.OrderLine.LineItem.Price)**

Name	Name	Type
ValidityPeriod	ValidityPeriod	Class

**3.8.1.3. OrderResponse.OrderLine.LineItem.Item**



### Item (OrderResponse.OrderLine.LineItem.Item) specification

<b>Name</b>	OrderResponse.OrderLine.LineItem.Item	<b>Alternative term</b>	
<b>Definition</b>	Information directly relating to an item		

### Example

```

<cac:Item>
  <cbc:Description>Hamburg - COPENHAGEN</cbc:Description>
  <cbc:Name>Economic</cbc:Name>
  <cbc:HazardousRiskIndicator>false</cbc:HazardousRiskIndicator>
  + <cac:SellersItemIdentification />
  + <cac:ClassifiedTaxCategory />
</cac:Item>
  
```

### Fields

UBL-Name	Name	Datatype	Usage	Cardinality
Description	Description	Text	Yes	0..n
PackQuantity	PackQuantity	Quantity	Yes	0..1
PackSizeNumeric	PackSizeNumeric	Numeric	Yes	0..1
CatalogueIndicator	CatalogueIndicator	Indicator	Yes	0..1
Name	Name	Name	Yes	1
HazardousRiskIndicator	HazardousRiskIndicator	Indicator	Bilateral	0..1
AdditionalInformation	AdditionalInformation	Text	Yes	0..1
Keyword	Keyword	Text	Bilateral	0..n
BrandName	BrandName	Name	Yes	0..n
ModelName	ModelName	Name	Yes	0..n

**Subclasses in class Item (OrderResponse.OrderLine.LineItem.Item)**

UBL-Name	Name	Usage	Cardinality	Reference
BuyersItemIdentification	BuyersItemIdentification	Yes	0..1	3.8.1.3.1
SellersItemIdentification	SellersItemIdentification	Yes	0..1	3.8.1.3.2
ManufacturersItemIdentification	ManufacturersItemIdentification	Bilateral	0..n	3.8.1.3.3
StandardItemIdentification	StandardItemIdentification	Yes	0..1	3.8.1.3.4
CatalogueItemIdentification	CatalogueItemIdentification	Bilateral	0..1	3.8.1.3.5
AdditionalItemIdentification	AdditionalItemIdentification	Bilateral	0..n	3.8.1.3.6
CatalogueDocumentReference	CatalogueDocumentReference	Yes	0..1	3.8.1.3.7
ItemSpecificationDocumentReference	ItemSpecificationDocumentReference	Yes	0..1	G30 3.36
CommodityClassification	CommodityClassification	Yes	0..n	G30 3.18
TransactionConditions	TransactionConditions	Bilateral	0..n	G30 3.107
HazardousItem	HazardousItem	Bilateral	0..n	G30 3.47
ClassifiedTaxCategory	ClassifiedTaxCategory	Yes	0..n	G30 3.101
AdditionalItemProperty	AdditionalItemProperty	Yes	0..n	G30 3.54
ManufacturerParty	ManufacturerParty	Bilateral	0..n	G30 3.70
InformationContentProviderParty	InformationContentProviderParty	Bilateral	0..1	G30 3.70
OriginAddress	OriginAddress	Yes	0..1	G30 3.1
ItemInstance	ItemInstance	Yes	0..n	G30 3.52

## Field specifications

**Description**

<b>Fieldname</b>	Description	<b>Alternative term</b>	
<b>Cardinality</b>	0..n	<b>Usage</b>	Yes
<b>Datatype</b>	Text		
<b>Definition</b>	A free form text field that can be used to give a text description of the item.		
<b>Businessrules</b>	Description is required if no ItemIdentification of Item. Only use one note for each language		

**PackQuantity**

<b>Fieldname</b>	PackQuantity	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Quantity		
<b>Definition</b>	The unit packaging quantity.		

**PackSizeNumeric**

<b>Fieldname</b>	PackSizeNumeric	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Numeric		
<b>Definition</b>	The number of items in a package.		

**CatalogueIndicator**

<b>Fieldname</b>	CatalogueIndicator	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Indicator		
<b>Definition</b>	An indicator that denotes whether the item was ordered from a catalogue (true) or not (false).		

**Name**

<b>Fieldname</b>	Name	<b>Alternative term</b>	
<b>Cardinality</b>	1	<b>Usage</b>	Yes
<b>Datatype</b>	Name		
<b>Definition</b>	A shortname (optionally) given to an item, such as a name from a catalogue, as distinct to a description		

**HazardousRiskIndicator**

<b>Fieldname</b>	HazardousRiskIndicator	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Indicator		
<b>Definition</b>	An indicator as to whether the item as delivered is hazardous		

**AdditionalInformation**

<b>Fieldname</b>	AdditionalInformation	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Text		
<b>Definition</b>	To provide more details of the item (eg URL of a relevant web page).		

**Keyword**

<b>Fieldname</b>	Keyword	<b>Alternative term</b>	
<b>Cardinality</b>	0..n	<b>Usage</b>	Bilateral
<b>Datatype</b>	Text		
<b>Definition</b>	A Seller Party-defined search string for the item. Could also be synonyms.		

**BrandName**

<b>Fieldname</b>	BrandName	<b>Alternative term</b>	
<b>Cardinality</b>	0..n	<b>Usage</b>	Yes
<b>Datatype</b>	Name		
<b>Definition</b>	The brand name for the item.		

**ModelName**

<b>Fieldname</b>	ModelName	<b>Alternative term</b>	
<b>Cardinality</b>	0..n	<b>Usage</b>	Yes
<b>Datatype</b>	Name		
<b>Definition</b>	Model name for the item		

## Class Specification

### *BuyersItemIdentification*

<b>Classname</b>	BuyersItemIdentification	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	ItemIdentification		
<b>Definition</b>	Associates the item with its identification according to the buyers system.		
<b>See section</b>	3.8.1.3.1		

### *SellersItemIdentification*

<b>Classname</b>	SellersItemIdentification	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	ItemIdentification		
<b>Definition</b>	Associates the item with its identification according to the sellers system.		
<b>See section</b>	3.8.1.3.2		

### *ManufacturersItemIdentification*

<b>Classname</b>	ManufacturersItemIdentification	<b>Alternative term</b>	
<b>Cardinality</b>	0..n	<b>Usage</b>	Bilateral
<b>Datatype</b>	ItemIdentification		
<b>Definition</b>	Associates the item with its identification according to the manufacturers system.		
<b>Businessrules</b>	For information purpose only		
<b>See section</b>	3.8.1.3.3		

### *StandardItemIdentification*

<b>Classname</b>	StandardItemIdentification	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	ItemIdentification		
<b>Definition</b>	Associates the item with its identification according to a standard system.		
<b>See section</b>	3.8.1.3.4		

### *CatalogueItemIdentification*

<b>Classname</b>	CatalogueItemIdentification	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	ItemIdentification		
<b>Definition</b>	Associates the item with its identification according to a cataloging system.		
<b>See section</b>	3.8.1.3.5		

### *AdditionalItemIdentification*

<b>Classname</b>	AdditionalItemIdentification	<b>Alternative term</b>	
<b>Cardinality</b>	0..n	<b>Usage</b>	Bilateral
<b>Datatype</b>	ItemIdentification		
<b>Definition</b>	Associates the item with other identification means		
<b>See section</b>	3.8.1.3.6		

### *CatalogueDocumentReference*

<b>Classname</b>	CatalogueDocumentReference	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	DocumentReference		
<b>Definition</b>	Associates the item with the catalogue from which the item was selected.		
<b>See section</b>	3.8.1.3.7		

### *ItemSpecificationDocumentReference*

## 3.8.1.3. OrderResponse.OrderLine.LineItem.Item

<b>Classname</b>	ItemSpecificationDocumentReference	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	DocumentReference		
<b>Definition</b>	An association to item specification		
<b>See section</b>	G30 3.36		

**CommodityClassification**

<b>Classname</b>	CommodityClassification	<b>Alternative term</b>	
<b>Cardinality</b>	0..n	<b>Usage</b>	Yes
<b>Datatype</b>	CommodityClassification		
<b>Definition</b>	Associates the item with its classification(s) according to a commodity classifying system.		
<b>See section</b>	G30 3.18		

**TransactionConditions**

<b>Classname</b>	TransactionConditions	<b>Alternative term</b>	
<b>Cardinality</b>	0..n	<b>Usage</b>	Bilateral
<b>Datatype</b>	TransactionConditions		
<b>Definition</b>	Associates the item with sales conditions appertaining to it.		
<b>See section</b>	G30 3.107		

**HazardousItem**

<b>Classname</b>	HazardousItem	<b>Alternative term</b>	
<b>Cardinality</b>	0..n	<b>Usage</b>	Bilateral
<b>Datatype</b>	HazardousItem		
<b>Definition</b>	Associates the item with its hazardous item information.		
<b>See section</b>	G30 3.47		

**ClassifiedTaxCategory**

<b>Classname</b>	ClassifiedTaxCategory	<b>Alternative term</b>	
<b>Cardinality</b>	0..n	<b>Usage</b>	Yes
<b>Datatype</b>	TaxCategory		
<b>Definition</b>	Classifies the item using one or more categories of taxes		
<b>See section</b>	G30 3.101		

**AdditionalItemProperty**

<b>Classname</b>	AdditionalItemProperty	<b>Alternative term</b>	
<b>Cardinality</b>	0..n	<b>Usage</b>	Yes
<b>Datatype</b>	ItemProperty		
<b>Definition</b>	Associates the item with a set of additional properties		
<b>See section</b>	G30 3.54		

**ManufacturerParty**

<b>Classname</b>	ManufacturerParty	<b>Alternative term</b>	
<b>Cardinality</b>	0..n	<b>Usage</b>	Bilateral
<b>Datatype</b>	Party		
<b>Definition</b>	An association to the manufacturer of the item.		
<b>See section</b>	G30 3.70		

**InformationContentProviderParty**

<b>Classname</b>	InformationContentProviderParty	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Party		
<b>Definition</b>	Associates the item with the party responsible for the technical specifications of the item.		
<b>See section</b>	G30 3.70		

**OriginAddress**


<b>Classname</b>	OriginAddress	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Address		
<b>Definition</b>	Associates the item with the region of origin (i.e. not the country)		
<b>See section</b>	G30 3.1		

**ItemInstance**

<b>Classname</b>	ItemInstance	<b>Alternative term</b>	
<b>Cardinality</b>	0..n	<b>Usage</b>	Yes
<b>Datatype</b>	ItemInstance		
<b>Definition</b>	An association to Item Instance		
<b>See section</b>	G30 3.52		

**Excluded classes and fields in Item (OrderResponse.OrderLine.LineItem.Item)**

Name	Name	Type
OriginCountry	OriginCountry	Class

**3.8.1.3.1.****OrderResponse.OrderLine.LineItem.Item.BuyersItemIdentification****BuyersItemIdentification (OrderResponse.OrderLine.LineItem.Item.BuyersItemIdentification) specification**

<b>Name</b>	OrderResponse.OrderLine.LineItem.Item.BuyersItemIdentification	<b>Alternative term</b>	
<b>Definition</b>	Information about Item identification		

**Fields**

UBL-Name	Name	Datatype	Usage	Cardinality
ID	ID	Identifier	Yes	1
ExtendedID	ExtendedID	Identifier	Yes	0..1

**Subclasses in class BuyersItemIdentification (OrderResponse.OrderLine.LineItem.Item.BuyersItemIdentification)**

UBL-Name	Name	Usage	Cardinality	Reference
IssuerParty	IssuerParty	Bilateral	0..1	G30 3.70

**Field specifications****ID**

<b>Fieldname</b>	ID	<b>Alternative term</b>	
<b>Cardinality</b>	1	<b>Usage</b>	Yes
<b>Datatype</b>	Identifier		
<b>Definition</b>	An identifier for an Item		
<b>Example</b>	4732		

**ExtendedID**


<b>Fieldname</b>	ExtendedID	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Identifier		
<b>Definition</b>	An extended identifier for the item which identifies the item with specific properties e.g. Item 123 = Chair / Item 123 Ext 45 = Brown chair		
<b>Example</b>	PO3X89		

**Class Specification****IssuerParty**

<b>Classname</b>	IssuerParty	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Party		
<b>Definition</b>	An association to Issuer Party i.e. the Party that issued the Item Identification		
<b>Recommendation</b>	Is only used if IssuerParty is not the issuer of the ItemIdentification		
<b>See section</b>	G30 3.70		

**Excluded classes and fields in BuyersItemIdentification  
(OrderResponse.OrderLine.LineItem.Item.BuyersItemIdentification)**

<b>Name</b>	<b>Name</b>	<b>Type</b>
PhysicalAttribute	PhysicalAttribute	Class
MeasurementDimension	MeasurementDimension	Class

**3.8.1.3.2.****OrderResponse.OrderLine.LineItem.Item.SellersItemIdentification****SellersItemIdentification (OrderResponse.OrderLine.LineItem.Item.SellersItemIdentification) specification**

<b>Name</b>	OrderResponse.OrderLine.LineItem.Item.SellersItemIdentification	<b>Alternative term</b>	
<b>Definition</b>	Information about Item identification		

**Example**

```
<cac:SellersItemIdentification>
  <cbc:ID>SK1426</cbc:ID>
</cac:SellersItemIdentification>
```

**Fields**

UBL-Name	Name	Datatype	Usage	Cardinality
ID	ID	Identifier	Yes	1
ExtendedID	ExtendedID	Identifier	Yes	0..1

**Subclasses in class SellersItemIdentification (OrderResponse.OrderLine.LineItem.Item.SellersItemIdentification)**

UBL-Name	Name	Usage	Cardinality	Reference
PhysicalAttribute	PhysicalAttribute	Yes	0..n	G30 3.80
MeasurementDimension	MeasurementDimension	Yes	0..n	G30 3.34
IssuerParty	IssuerParty	Bilateral	0..1	G30 3.70

**Field specifications****ID**

<b>Fieldname</b>	ID	<b>Alternative term</b>	
<b>Cardinality</b>	1	<b>Usage</b>	Yes
<b>Datatype</b>	Identifier		
<b>Definition</b>	An identifier for an Item		
<b>Example</b>	4732		

**ExtendedID**

<b>Fieldname</b>	ExtendedID	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Identifier		
<b>Definition</b>	An extended identifier for the item which identifies the item with specific properties e.g. Item 123 = Chair / Item 123 Ext 45 = Brown chair		
<b>Example</b>	PO3X89		

**Class Specification****PhysicalAttribute**

<b>Classname</b>	PhysicalAttribute	<b>Alternative term</b>	
<b>Cardinality</b>	0..n	<b>Usage</b>	Yes
<b>Datatype</b>	PhysicalAttribute		
<b>Definition</b>	An association to Physical Attribute		
<b>See section</b>	G30 3.80		

**MeasurementDimension**


<b>Classname</b>	MeasurementDimension	<b>Alternative term</b>	
<b>Cardinality</b>	0..n	<b>Usage</b>	Yes
<b>Datatype</b>	Dimension		
<b>Definition</b>	An association to Measurement Dimension		
<b>See section</b>	G30 3.34		

**IssuerParty**

<b>Classname</b>	IssuerParty	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Party		
<b>Definition</b>	An association to Issuer Party i.e. the Party that issued the Item Identification		
<b>Recommendation</b>	Is only used if IssuerParty is not the issuer of the ItemIdentification		
<b>See section</b>	G30 3.70		

**Excluded classes and fields in SellersItemIdentification (OrderResponse.OrderLine.LineItem.Item.SellersItemIdentification)**

None

**3.8.1.3.3.****OrderResponse.OrderLine.LinItem.Item.ManufacturersItemIdentification****ManufacturersItemIdentification****(OrderResponse.OrderLine.LinItem.Item.ManufacturersItemIdentification) specification**

<b>Name</b>	OrderResponse.OrderLine.LinItem.Item.ManufacturersItemIdentification	<b>Alternative term</b>	
<b>Definition</b>	Information about Item identification		

**Fields**

UBL-Name	Name	Datatype	Usage	Cardinality
ID	ID	Identifier	Bilateral	1
ExtendedID	ExtendedID	Identifier	Bilateral	0..1

**Subclasses in class ManufacturersItemIdentification****(OrderResponse.OrderLine.LinItem.Item.ManufacturersItemIdentification)**

UBL-Name	Name	Usage	Cardinality	Reference
IssuerParty	IssuerParty	Bilateral	0..1	G30 3.70

**Field specifications****ID**

<b>Fieldname</b>	ID	<b>Alternative term</b>	
<b>Cardinality</b>	1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Identifier		
<b>Definition</b>	An identifier for an Item		
<b>Example</b>	4732		

**ExtendedID**


<b>Fieldname</b>	ExtendedID	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Identifier		
<b>Definition</b>	An extended identifier for the item which identifies the item with specific properties e.g. Item 123 = Chair / Item 123 Ext 45 = Brown chair		
<b>Example</b>	PO3X89		

**Class Specification****IssuerParty**

<b>Classname</b>	IssuerParty	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Party		
<b>Definition</b>	An association to Issuer Party i.e. the Party that issued the Item Identification		
<b>Recommendation</b>	Is only used if IssuerParty is not the issuer of the ItemIdentification		
<b>See section</b>	G30 3.70		

**Excluded classes and fields in ManufacturersItemIdentification (OrderResponse.OrderLine.LineItem.Item.ManufacturersItemIdentification)**

Name	Name	Type
PhysicalAttribute	PhysicalAttribute	Class
MeasurementDimension	MeasurementDimension	Class

**3.8.1.3.4.****OrderResponse.OrderLine.LineItem.Item.StandardItemIdentification****StandardItemIdentification****(OrderResponse.OrderLine.LineItem.Item.StandardItemIdentification) specification**

<b>Name</b>	OrderResponse.OrderLine.LineItem.Item.StandardItemIdentification	<b>Alternative term</b>	
<b>Definition</b>	Information about Item identification		

**Fields**

UBL-Name	Name	Datatype	Usage	Cardinality
ID	ID	Identifier	Yes	1
ExtendedID	ExtendedID	Identifier	Yes	0..1

**Subclasses in class StandardItemIdentification****(OrderResponse.OrderLine.LineItem.Item.StandardItemIdentification)**

UBL-Name	Name	Usage	Cardinality	Reference
IssuerParty	IssuerParty	Bilateral	0..1	G30 3.70

**Field specifications****ID**

<b>Fieldname</b>	ID	<b>Alternative term</b>	
<b>Cardinality</b>	1	<b>Usage</b>	Yes
<b>Datatype</b>	Identifier		
<b>Definition</b>	An identifier for an Item		
<b>Example</b>	4732		

**ExtendedID**


<b>Fieldname</b>	ExtendedID	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Identifier		
<b>Definition</b>	An extended identifier for the item which identifies the item with specific properties e.g. Item 123 = Chair / Item 123 Ext 45 = Brown chair		
<b>Example</b>	PO3X89		

**Class Specification****IssuerParty**

<b>Classname</b>	IssuerParty	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Party		
<b>Definition</b>	An association to Issuer Party i.e. the Party that issued the Item Identification		
<b>Recommendation</b>	Is only used if IssuerParty is not the issuer of the ItemIdentification		
<b>See section</b>	G30 3.70		

**Excluded classes and fields in StandardItemIdentification  
(OrderResponse.OrderLine.LineItem.Item.StandardItemIdentification)**

Name	Name	Type
PhysicalAttribute	PhysicalAttribute	Class
MeasurementDimension	MeasurementDimension	Class

**3.8.1.3.5.****OrderResponse.OrderLine.LineItem.Item.CatalogueItemIdentification**
**CatalogueItemIdentification  
 (OrderResponse.OrderLine.LineItem.Item.CatalogueItemIdentification) specification**

<b>Name</b>	OrderResponse.OrderLine.LineItem.Item.CatalogueItemIdentification	<b>Alternative term</b>	
<b>Definition</b>	Information about Item identification		

**Fields**

UBL-Name	Name	Datatype	Usage	Cardinality
ID	ID	Identifier	Bilateral	1
ExtendedID	ExtendedID	Identifier	Bilateral	0..1

**Subclasses in class CatalogueItemIdentification  
 (OrderResponse.OrderLine.LineItem.Item.CatalogueItemIdentification)**

UBL-Name	Name	Usage	Cardinality	Reference
IssuerParty	IssuerParty	Bilateral	0..1	G30 3.70

**Field specifications****ID**

<b>Fieldname</b>	ID	<b>Alternative term</b>	
<b>Cardinality</b>	1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Identifier		
<b>Definition</b>	An identifier for an Item		
<b>Example</b>	4732		

**ExtendedID**


<b>Fieldname</b>	ExtendedID	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Identifier		
<b>Definition</b>	An extended identifier for the item which identifies the item with specific properties e.g. Item 123 = Chair / Item 123 Ext 45 = Brown chair		
<b>Example</b>	PO3X89		

**Class Specification****IssuerParty**

<b>Classname</b>	IssuerParty	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Party		
<b>Definition</b>	An association to Issuer Party i.e. the Party that issued the Item Identification		
<b>Recommendation</b>	Is only used if IssuerParty is not the issuer of the ItemIdentification		
<b>See section</b>	G30 3.70		

**Excluded classes and fields in CatalogueItemIdentification  
(OrderResponse.OrderLine.LineItem.Item.CatalogueItemIdentification)**

Name	Name	Type
PhysicalAttribute	PhysicalAttribute	Class
MeasurementDimension	MeasurementDimension	Class

**3.8.1.3.6.****OrderResponse.OrderLine.LineItem.Item.AdditionalItemIdentification**

**AdditionalItemIdentification**  
**(OrderResponse.OrderLine.LineItem.Item.AdditionalItemIdentification) specification**

<b>Name</b>	OrderResponse.OrderLine.LineItem.Item.AdditionalItemIdentification	<b>Alternative term</b>	
<b>Definition</b>	Information about Item identification		

**Fields**

UBL-Name	Name	Datatype	Usage	Cardinality
ID	ID	Identifier	Bilateral	1
ExtendedID	ExtendedID	Identifier	Bilateral	0..1

**Subclasses in class AdditionalItemIdentification**  
**(OrderResponse.OrderLine.LineItem.Item.AdditionalItemIdentification)**

UBL-Name	Name	Usage	Cardinality	Reference
IssuerParty	IssuerParty	Bilateral	0..1	G30 3.70

**Field specifications****ID**

<b>Fieldname</b>	ID	<b>Alternative term</b>	
<b>Cardinality</b>	1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Identifier		
<b>Definition</b>	An identifier for an Item		
<b>Example</b>	4732		

**ExtendedID**


<b>Fieldname</b>	ExtendedID	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Identifier		
<b>Definition</b>	An extended identifier for the item which identifies the item with specific properties e.g. Item 123 = Chair / Item 123 Ext 45 = Brown chair		
<b>Example</b>	PO3X89		

**Class Specification****IssuerParty**

<b>Classname</b>	IssuerParty	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Party		
<b>Definition</b>	An association to Issuer Party i.e. the Party that issued the Item Identification		
<b>Recommendation</b>	Is only used if IssuerParty is not the issuer of the ItemIdentification		
<b>See section</b>	G30 3.70		

**Excluded classes and fields in AdditionalItemIdentification  
(OrderResponse.OrderLine.LineItem.Item.AdditionalItemIdentification)**

Name	Name	Type
PhysicalAttribute	PhysicalAttribute	Class
MeasurementDimension	MeasurementDimension	Class

**3.8.1.3.7.****OrderResponse.OrderLine.LinItem.Item.CatalogueDocumentReference**
**CatalogueDocumentReference  
 (OrderResponse.OrderLine.LinItem.Item.CatalogueDocumentReference) specification**

<b>Name</b>	OrderResponse.OrderLine.LinItem.Item.CatalogueDocumentReference	<b>Alternative term</b>	OIOUBL_GUIDE_DOCUMENTREF
<b>Definition</b>	Information about a Document referred to in another Document		
<b>See also</b>	OIOUBL_GUIDE_DOCUMENTREF ( OIO )		

**Fields**

UBL-Name	Name	Datatype	Usage	Cardinality
ID	ID	Identifier	Yes	1
CopyIndicator	CopyIndicator	Indicator	Bilateral	0..1
UUID	UUID	Identifier	Yes	0..1
IssueDate	IssueDate	Date	Yes	0..1
XPath	XPath	Text	Yes	0..n

**Subclasses in class CatalogueDocumentReference  
 (OrderResponse.OrderLine.LinItem.Item.CatalogueDocumentReference)**

UBL-Name	Name	Usage	Cardinality	Reference
Attachment	Attachment	Yes	0..1	3.8.1.3.7.1

**Field specifications****ID**

<b>Fieldname</b>	ID	<b>Alternative term</b>	
<b>Cardinality</b>	1	<b>Usage</b>	Yes
<b>Datatype</b>	Identifier		
<b>Definition</b>	The identifier for the Document being referred to		
<b>Example</b>	428.34		

**CopyIndicator**

<b>Fieldname</b>	CopyIndicator	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Indicator		
<b>Definition</b>	Indicates whether the referenced Document is a copy (true) or the original (false)		
<b>Example</b>	false		

**UUID**

<b>Fieldname</b>	UUID	<b>Alternative term</b>	OIOUBL_GUIDE_UUID
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Identifier		
<b>Definition</b>	A computer-generated universally unique identifier (UUID) for the referenced Document instance		
<b>See also</b>	OIOUBL_GUIDE_UUID ( G32 )		

**IssueDate**

<b>Fieldname</b>	IssueDate	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Date		
<b>Definition</b>	The date assigned by the sender of the referenced Document on which the referenced Document was issued		
<b>Example</b>	2006-09-01		

**XPath**

<b>Fieldname</b>	XPath	<b>Alternative term</b>	
<b>Cardinality</b>	0..n	<b>Usage</b>	Yes
<b>Datatype</b>	Text		
<b>Definition</b>	Refers to another part of the same document instance		
<b>Example</b>	/DocumentReference[ID='428.22']		

**Class Specification****Attachment**

<b>Classname</b>	Attachment	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	Attachment		
<b>Definition</b>	An attached document, external referred to, referred in the MIME location or embedded.		
<b>See section</b>	3.8.1.3.7.1		

**Excluded classes and fields in CatalogueDocumentReference (OrderResponse.OrderLine.LineItem.Item.CatalogueDocumentReference)**

Name	Name	Type
DocumentTypeCode	DocumentTypeCode	Field
DocumentType	DocumentType	Field

**3.8.1.3.7.1.****OrderResponse.OrderLine.LinItem.Item.CatalogueDocumentReference.Attachment**

**Attachment**  
**(OrderResponse.OrderLine.LinItem.Item.CatalogueDocumentReference.Attachment)**  
**specification**

<b>Name</b>	OrderResponse.OrderLine.LinItem.Item.CatalogueDocumentReference.Attachment	<b>Alternative term</b>	OIOUBL_GUIDE_ATTACHM ENT
<b>Definition</b>	Information about an attached document. An attachment can be referred to externally (with the URI element), internally (with the MIME reference element) or contained within the document itself (with the EmbeddedDocument element).		
<b>See also</b>	OIOUBL_GUIDE_ATTACHMENT ( OIO )		

**Fields**

UBL-Name	Name	Datatype	Usage	Cardinality
EmbeddedDocumentBinaryObject	EmbeddedDocumentBinaryObject	Binary Object	Bilateral	0..1

**Subclasses in class Attachment**  
**(OrderResponse.OrderLine.LinItem.Item.CatalogueDocumentReference.Attachment)**

UBL-Name	Name	Usage	Cardi nality	Reference
ExternalReference	ExternalReference	Yes	0..1	G30 3.41

**Field specifications****EmbeddedDocumentBinaryObject**

<b>Fieldname</b>	EmbeddedDocumentBinaryObject	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Bilateral
<b>Datatype</b>	Binary Object		
<b>Definition</b>	Contains an embedded document as a BLOB.		
<b>Businessrules</b>	Only allowed if no ExternalReference is specified and if bilateral agreed.		
<b>Dependency</b>	../ExternalReference		

**Class Specification****ExternalReference**

<b>Classname</b>	ExternalReference	<b>Alternative term</b>	
<b>Cardinality</b>	0..1	<b>Usage</b>	Yes
<b>Datatype</b>	ExternalReference		
<b>Definition</b>	An attached document, external referred to, referred in the MIME location or embedded.		
<b>Businessrules</b>	Used if no EmbeddedDocumentBinaryObject specified		
<b>Dependency</b>	../EmbeddedDocumentBinaryObject		
<b>See section</b>	G30 3.41		

**Excluded classes and fields in Attachment  
(OrderResponse.OrderLine.LineItem.Item.CatalogueDocumentReference.Attachment)**

None